



Protector Echo Floor-Mounted Filtered Fume Hoods

Protector Echo Filtered Floor-Mounted Fume Hoods provide the interior height needed for bulky apparatus with no ducting required.

These hoods feature fully-closing, vertical-rising sashes. eGuard® communication software offers real-time monitoring on the user's phone or computer. From a remote location, data such as usage authorization, filter saturation detection, sash position and temperature may be observed and managed.



The Echo uses Neutrodine® Unisorb Filters, the most comprehensive, safety-driven carbon filter available. This single molecular filter type can easily adsorb most chemicals and mixtures, taking the guesswork out of filter selection. ErLab-proven Neutrodine Filters are the heart of GFH Filtration Technology.

Floor-Mounted models include a fiberglass panelized liner and three exterior depths: 37.7 43.7", and 55.7". Models are available for carbon-only, carbon with acid sensor, carbon with formaldehyde sensor, or HEPA-only filtration. Filters are sold separately.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

Features (All Models)

- Eco-Foil™ air foil with aerodynamic Clean-Sweep™ airflow openings
- Cord-Keeper™ Slots on left and right side of air foil Single piece,
- tempered safety glass vertical-rising sashes with cable pulley, sash
- weight and powder-coated aluminum sash handle and tracks with
- Clean-Sweep™ airflow openings Upper sash stop at 16" sash open height. Upper sash opens to 26" high for loading chemicals.
- Lower sash opens up from floor to 55.2" for transporting carts, drums
- and apparatus
- Removable front and side panels, and front and interior service
- access panels for access to plumbing and electrical wiring
- eGuard2 software communication
- Smart control module with wifi, Bluetooth and ethernet connectivity
- Factory-installed command module, fan button and light button
- Rear baffle
- By-pass airflow design
- Glacier white powder-coated steel exterior
- Chemical-resistant, fiberglass-reinforced, composite panel liner
- Pre-wired vapor-proof LED lights for up to 63 foot candles rated for 50,000 hours: 2 lights per 4' model, 3 lights per 5' model, 4 lights per 6' model, and 5 lights per 8' model
- Factory-prepared for up to two electrical duplex receptacles and six service fixtures
- Roughing prefilter: 2 each per 4' model, 3 each per 5' model, 4 each per 6' model, and 5 each per 8' model Built-in exhaust fans: 2 each per 4' model, 3 each per 5' model, 4 each per 6' model, and 5 each per 8' model, to maintain 60 fpm face velocity with only an upper
- sash opening height of 16"
- Sound pressure of <60 dB(A) with sash at operating height and <48 dB(A) with sash closed
- Sensor package for primary filter breakthrough of solvent and acid fumes, laboratory air quality, sash position, and temperature
- Audible/visual alarms for breakthrough detection, temperature $\geq 40^{\circ}$ C (104° F), fan failure and high sash

- Power cord with plug

Fixtured Models May Feature

- Two pre-plumbed service fixtures with forged brass valves, lower right side with brass tubing for gas and lower left side with copper tubing for cold water.
Components for converting either or both fixtures to air and vacuum are provided. Inlet tubing is not provided
- One pre-wired GFCI electrical duplex receptacle on lower right side, and on 8' models only, one additional pre-wired GFCI electrical duplex receptacle on the lower left side

Required Accessories (Not Included)

- Neutrodine® Unisorb Filters (except HEPA only models which require HEPA filters). Number of filters required is determined by the width of the hood

Options Available Include

- HEPA filter
- Region-specific electrical plug configurations
- Service fixtures

Compliance

- SEFA 9, DHIII
- SEFA 8, Cabinet Surface Finish Tests
- Modified ASHRAE 110
- ANSI Z9.5-2011
- AFNOR NF-X 15-211
- ASTM E84-09C
- UL Standard 61010-1
- CAN/CSA C22.2 No. 61010-1

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183417200

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183417201

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183417202

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183417220

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183417221

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183427200

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183427201

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183427202

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183427220

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183427221

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183437200

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 55.7" (141.5 cm)

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183437201

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 55.7" (141.5 cm)

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 115V](#)



Catalog # 183437202

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183437220

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood 230V](#)



Catalog # 183437221

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183417400

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183417401

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183417402

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
230V](#)



Catalog # 183417420

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183427400

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183427402

Airflow Type: Bypass

Nominal Width: 4'

Blower Requirements: Integral
blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
230V](#)



Catalog # 183417421

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral
blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
115V](#)



Catalog # 183427401

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada,
International

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted
Filtered Fume Hood, Acid Sensor
230V](#)



Catalog # 183427420

Airflow Type: Bypass

Nominal Width: 4'

Blower Requirements: Integral
blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183427421

Airflow Type: Bypass
Nominal Width: 4'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183437400

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183437401

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183437402

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183417601

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183417602

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183417620

Airflow Type: Bypass
Nominal Width: 4'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183437420

Airflow Type: Bypass
Nominal Width: 4'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183437421

Airflow Type: Bypass
Nominal Width: 4'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183417600

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included

[4' Protector Echo Floor-Mounted Filtered Fume](#)



Catalog # 183417621

Airflow Type: Bypass
Nominal Width: 4'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183427600

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183427601

Airflow Type: Bypass
Nominal Width: 4'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183427602

Airflow Type: Bypass

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183437601

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183437602

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183437620

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183437621

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183427620

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183427621

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183437600

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183417800

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183417801

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183417802

Airflow Type: Bypass

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183417820

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183417821

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183427800

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183427801

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183437800

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183437801

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183437802

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183427802

Airflow Type: Bypass

Nominal Width: 4'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183427820

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183427821

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

[4' Protector Echo Floor-Mounted Filtered Fume](#)



Catalog # 183437820

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[4' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183437821

Airflow Type: Bypass

Nominal Width: 4'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183517200

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183517201

Airflow Type: Bypass

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183527200

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183527201

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183527202

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183527220

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183517202

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183517220

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183517221

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183527221

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183537200

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183537201

Airflow Type: Bypass
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183537202

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183537220

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183537221

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183517401

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183517402

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183517420

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183527402

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183527420

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183527421

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)

Catalog # 183537400

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183517421

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183527400

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183527401

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2



Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183537401

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183537402

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183537420

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183517602

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183517620

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183517621

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)

Catalog # 183527600

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183537421

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183517600

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183517601

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2



Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183537821

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183627420

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183527601

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183517801

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183527602

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183517802

Airflow Type: Bypass

Nominal Width: 5'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183527620

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183517820

Airflow Type: Bypass

Nominal Width: 5'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)

Catalog # 183527621

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)

Catalog # 183517821



Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183537600

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183537601

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183537602

Airflow Type: Bypass



Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183527800

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183527801

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183527802

Airflow Type: Bypass

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183537620

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183537621

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183517800

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183527820

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183527821

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183537800

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183537801

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183537802

Airflow Type: Bypass
Nominal Width: 5'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183537820

Airflow Type: Bypass
Nominal Width: 5'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183617200

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183617201

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183617202

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)

Catalog # 183617220

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183637200

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183637201

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183637202

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)

Catalog # 183637220



Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183617221

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183627200

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183627201

Airflow Type: Bypass



Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183637221

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183617400

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183617401

Airflow Type: Bypass

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183627202

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183627220

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183627221

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183617402

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183617420

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183617421

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183627400

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183627401

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183627402

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183627421

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183617601

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183637400

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183617602

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183637401

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183617620

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183637402

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 1
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183637420

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183637421

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183617600

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included

[6' Protector Echo Floor-Mounted Filtered Fume](#)



Catalog # 183617621

Airflow Type: Bypass
Nominal Width: 6'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183627600

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183627601

Airflow Type: Bypass
Nominal Width: 6'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183627602

Airflow Type: Bypass

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183637601

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183637602

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183637620

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183637621

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183627620

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183627621

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183637600

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183617800

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183617801

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183617802

Airflow Type: Bypass

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183617820

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183617821

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183627800

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183627801

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183637800

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183637801

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183637802

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183627802

Airflow Type: Bypass

Nominal Width: 6'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 1

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183627820

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183627821

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

[6' Protector Echo Floor-Mounted Filtered Fume](#)



Catalog # 183637820

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 0

Style: Floor-Mounted

[6' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183637821

Airflow Type: Bypass

Nominal Width: 6'

Region: International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183817200

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 37.7" (95.8 cm)

Service Fixtures: 0

Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183817201

Airflow Type: Bypass

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183827200

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 0

Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183827201

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183827202

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 2

Exterior Depth: 43.7" (111.0 cm)

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183827220

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183817202

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183817220

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183817221

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183827221

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183837200

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183837201

Airflow Type: Bypass
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 115V](#)



Catalog # 183837202

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183827402

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183837220

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183827420

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood 230V](#)



Catalog # 183837221

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183827421

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)

Catalog # 183817400

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)

Catalog # 183837400



Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183817401

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183817402

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183817420



Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183837401

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183837402

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183837420

Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183817421

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183827400

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 115V](#)



Catalog # 183827401

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2

Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Acid Sensor 230V](#)



Catalog # 183837421

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183817600

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183817601

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183817602

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183817620

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183817621

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)

Catalog # 183827600

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183827601

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183827602

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183827620

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)

Catalog # 183827621



Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183827820

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183827821

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183817821



Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183837600

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183837601

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 115V](#)



Catalog # 183837602

Airflow Type: Bypass

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183827800

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183827801

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183827802

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 43.7" (111.0 cm)
Service Fixtures: 2
Style: Floor-Mounted

Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183837620

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, Formaldehyde Sensor 230V](#)



Catalog # 183837621

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183817800

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183817801

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V](#)



Catalog # 183817802

Airflow Type: Bypass
Nominal Width: 8'
Region: U.S. and Canada, International
Blower Requirements: Integral blower included
Electrical Duplexes: 2
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183817820

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 37.7" (95.8 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183837820

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183837821

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 2
Style: Floor-Mounted

[8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 230V](#)



Catalog # 183837820

Airflow Type: Bypass
Nominal Width: 8'
Region: International
Blower Requirements: Integral blower included
Exterior Depth: 55.7" (141.5 cm)
Service Fixtures: 0
Style: Floor-Mounted

8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V



Catalog # 183837801

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

8' Protector Echo Floor-Mounted Filtered Fume Hood, HEPA Only 115V



Catalog # 183837802

Airflow Type: Bypass

Nominal Width: 8'

Region: U.S. and Canada, International

Blower Requirements: Integral blower included

Electrical Duplexes: 2

Exterior Depth: 55.7" (141.5 cm)

Service Fixtures: 2

Style: Floor-Mounted

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru