



Protector XL Floor-Mounted Laboratory Hoods

Protector XL Floor-Mounted Laboratory Hoods (sometimes called Walk-In Hoods)

accommodate laboratory procedures that require oversized equipment or maximum working height. Models with vertical-rising sashes meet the SEFA-1 standard of a low velocity high performance hood and may be operated as low as 60 fpm. Models with horizontal-sliding sashes have a loading height of 73.5" (186.7 cm), suitable for applications requiring tall distillation racks, extraction apparatus or large drums.

Floor-mounted fume hoods are shipped partially unassembled and require **some field assembly** (not provided by Labconco). They are shipped on 2-3 pallets, requiring placement of lower and upper portions, installation of corner posts, baffles, header, and sashes, and connection of piping and electrical (if included). Detailed instructions are available upon request.



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

Models Feature

- By-pass airflow design
- By-pass block
- Glacier white powder-coated steel exterior
- Chemical-resistant molded composite panel liner and baffle
- Opti-Zone Baffles with flame spread less than 25 per ASTM E84.
- Baffles are removable for cleaning Removable front and side panels and exterior and interior service access panels for access to plumbing and electrical wiring
- Pre-wired LED lighting with vapor-proof design and ADA-compliant light and blower switches. Lighting rated to 50,000 hours
- 73.5" (187 cm) high sightline from the floor to the header panel
- 4', 5', 6' and 8' models have two tempered safety glass vertical-rising sashes with powder-coated aluminum sash handles and powder-coated steel sash tracks with Clean-Sweep slots. Upper sash handle also includes Clean-Sweep openings
- 8', 10', 12' and 16' models have four tempered safety glass horizontal-sliding sashes with powder-coated aluminum sash tracks
- Vertical-rising sash models have 63.6" (162 cm) loading height
- Horizontal-sliding sash models have 73.5" (187 cm)
- Factory prepared for up to eight service fixtures including two gooseneck faucets
- Factory prepared for up to four electrical duplex receptacles and an airflow monitor
- Powder-coated, stainless steel 12.8" ID exhaust connection(s)
- Shipped in multiple sections: top, bottom and sashes

Fixtures Models May Feature

- Two pre-plumbed service fixtures with forged brass valves, lower right side with brass tubing for gas and lower left side with copper tubing for cold water. Components for converting either or both fixtures to air and vacuum are provided. Inlet tubing is not provided
- One pre-wired GFCI electrical duplex receptacle on lower right side and, on 8' and larger models only, one additional pre-wired GFCI electrical duplex receptacle on lower left side

Options

- 4', 5', 6', 8' widths in vertical-rising sash models
- 8', 10', 12', 16' widths in horizontal-sliding sash models
- Interior depths of 30", 36" and 48"

Required Accessories (Not Included)

- Remote blower
- Ductwork

Optional Accessories

- Service Fixture Kits
- Electrical Duplex Kits
- Guardian Airflow Monitor Kits
- Distillation Grid Kits
- Ceiling Enclosure and Rear Finish Panel Kits

4' XL Floor-Mounted Hood with
Vertical Rising Sash, 37.7" Depth,
2 Service Fixtures, 1 GFCI Duplex



Catalog # 112417002

Nominal Width: 4'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

4' XL Floor-Mounted Hood with
Vertical Rising Sash, 55.7" Depth,
2 Service Fixtures, 1 GFCI Duplex



Nominal Width: 4'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

5' XL Floor-Mounted Hood with
Vertical Rising Sash, 43.7" Depth,
2 Service Fixtures, 1 GFCI Duplex



Catalog # 112527002

Nominal Width: 5'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

4' XL Floor-Mounted Hood with
Vertical Rising Sash, 43.7" Depth
2 Service Fixtures, 1 GFCI Duplex



Catalog # 112427002

Nominal Width: 4'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

5' XL Floor-Mounted Hood with
Vertical Rising Sash, 37.7" Depth
2 Service Fixtures, 1 GFCI Duplex



Nominal Width: 5'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

5' XL Floor-Mounted Hood with
Vertical Rising Sash, 55.7" Depth
2 Service Fixtures, 1 GFCI Duplex



Catalog # 112537002

Nominal Width: 5'

Sash Movement Direction: Vertical
Rising

Blower Requirements: Remote
blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7" Depth, 2 Service Fixtures, 1 GFCI Duplex](#)



Catalog # 112617002

Nominal Width: 6'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7" Depth, 2 Service Fixtures, 1 GFCI Duplex](#)



Catalog # 112637002

Nominal Width: 6'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7" Depth, 2 Service Fixtures, 2 GFCI Duplexes](#)



Catalog # 112827002

Nominal Width: 8'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7" Depth, 2 Service Fixtures, 1 GFCI Duplex](#)



Catalog # 112627002

Nominal Width: 6'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7" Depth, 2 Service Fixtures, 2 GFCI Duplexes](#)



Nominal Width: 8'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7" Depth, 2 Service Fixtures, 2 GFCI Duplexes](#)



Catalog # 112837002

Nominal Width: 8'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Horizontal Sliding Sash, 37.7" Depth, 2 Service Fixtures, 2 GFCI Duplexes](#)



Catalog # 112816002

Nominal Width: 8'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth, 2 Service Fixtures, 2 GFC Duplexes](#)



Catalog # 112826002

Nominal Width: 8'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Duplexes](#)



Catalog # 112836002

Nominal Width: 8'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Duplexes](#)



Catalog # 112016002

Nominal Width: 10'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth, 2 Service Fixtures, 2 GFCI Duplexes](#)



Catalog # 112026002

Nominal Width: 10'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Horizontal Sliding Sash, 55.7" Depth, 2 Service Fixtures, 2 GFC Duplexes](#)



Catalog # 112036002

Nominal Width: 10'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[Horizontal Sliding Sash, 55.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112136002

Nominal Width: 12'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[16' XL Floor-Mounted Hood with](#)
[Horizontal Sliding Sash, 43.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112226002

Nominal Width: 16'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[12' XL Floor-Mounted Hood with](#)
[Horizontal Sliding Sash, 37.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112116002

Nominal Width: 12'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[Horizontal Sliding Sash, 37.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112216002

Nominal Width: 16'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[16' XL Floor-Mounted Hood with](#)
[Horizontal Sliding Sash, 55.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112236002

Nominal Width: 16'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[12' XL Floor-Mounted Hood with](#)
[Horizontal Sliding Sash, 43.7"](#)
[Depth, 2 Service Fixtures, 2 GFCI](#)
[Duplexes](#)



Catalog # 112126002

Nominal Width: 12'

Sash Movement

Direction: Horizontal Sliding

Blower Requirements: Remote
blower required

Electrical Duplexes: 2

Service Fixtures: 2

Style: Floor-Mounted

[4' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7" Depth](#)



Catalog # 112417000

Nominal Width: 4'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[4' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7" Depth](#)



Catalog # 112427000

Nominal Width: 4'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[4' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7" Depth](#)



Catalog # 112437000

Nominal Width: 4'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[5' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7" Depth](#)



Catalog # 112517000

Nominal Width: 5'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[5' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7" Depth](#)

Catalog # 112527000

[4' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860401

Nominal Width: 4'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860403

Nominal Width: 4'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[4' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860405

Nominal Width: 4'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860501

Nominal Width: 5'

Blower Requirements: Remote blower required

Electrical Duplexes: 1



Nominal Width: 5'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[5' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7\"](#)



Catalog # 112537000

Nominal Width: 5'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7\"](#)



Catalog # 112617000

Nominal Width: 6'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7\"](#)



Catalog # 112627000

Nominal Width: 6'

Sash Movement Direction: Vertical Rising

Blower Requirements: Remote blower required

Style: Floor-Mounted

[6' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7\"](#)



Catalog # 112637000

Style: Floor-Mounted

[5' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860503

Nominal Width: 5'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[5' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860505

Nominal Width: 5'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860601

Nominal Width: 6'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860603

Nominal Width: 6'

Sash Movement Direction: Vertical Rising
Blower Requirements: Remote blower required
Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 37.7" Depth](#)



Catalog # 112817000

Nominal Width: 8'
Sash Movement Direction: Vertical Rising
Blower Requirements: Remote blower required
Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 43.7" Depth](#)



Catalog # 112827000

Nominal Width: 8'
Sash Movement Direction: Vertical Rising
Blower Requirements: Remote blower required
Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Vertical Rising Sash, 55.7" Depth](#)



Catalog # 112837000

Nominal Width: 8'
Sash Movement Direction: Vertical Rising
Blower Requirements: Remote blower required
Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Horizontal Sliding Sash, 37.7" Depth](#)



Catalog # 112816000

Nominal Width: 8'
Sash Movement Direction: Horizontal Sliding
Blower Requirements: Remote blower required
Style: Floor-Mounted

Style: Floor-Mounted

[5' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860503

Nominal Width: 5'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[5' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860505

Nominal Width: 5'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860601

Nominal Width: 6'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[6' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860603

Nominal Width: 6'

[8' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth](#)



Catalog # 112826000

Nominal Width: 8'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[8' XL Floor-Mounted Hood with Horizontal Sliding Sash, 55.7" Depth](#)



Catalog # 112836000

Nominal Width: 8'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Horizontal Sliding Sash, 37.7" Depth](#)



Catalog # 112016000

Nominal Width: 10'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth](#)



Catalog # 112026000

Nominal Width: 10'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[10' XL Floor-Mounted Hood with Horizontal Sliding Sash, 55.7" Depth](#)

Catalog # 112036000

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[6' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9860605

Nominal Width: 6'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9700801

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9700803

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9700805



Nominal Width: 10'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[12' XL Floor-Mounted Hood with Horizontal Sliding Sash, 37.7" Depth](#)



Catalog # 112116000

Nominal Width: 12'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[12' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth](#)



Catalog # 112126000

Nominal Width: 12'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[12' XL Floor-Mounted Hood with Horizontal Sliding Sash, 55.7" Depth](#)



Catalog # 112136000

Nominal Width: 12'

Sash Movement Direction: Horizontal Sliding

Blower Requirements: Remote blower required

Style: Floor-Mounted

[16' XL Floor-Mounted Hood with Horizontal Sliding Sash, 37.7" Depth](#)



Catalog # 112216000

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9700807

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9700809

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[8' Protector XL Floor-Mounted Laboratory Hood with two vertical-rising sashes](#)



Catalog # 9700811

Nominal Width: 8'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

[10' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)

Catalog # 9700901

Sash Movement Direction: Horizontal Sliding
Blower Requirements: Remote blower required
Style: Floor-Mounted

[16' XL Floor-Mounted Hood with Horizontal Sliding Sash, 43.7" Depth](#)



Catalog # 112226000

Nominal Width: 16'
Sash Movement Direction: Horizontal Sliding
Blower Requirements: Remote blower required
Style: Floor-Mounted

[16' XL Floor-Mounted Hood with Horizontal Sliding Sash, 55.7" Depth](#)



Catalog # 112236000

Nominal Width: 16'
Sash Movement Direction: Horizontal Sliding
Blower Requirements: Remote blower required
Style: Floor-Mounted

[12' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9701003

Nominal Width: 12'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[12' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9701005

Nominal Width: 12'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted



Nominal Width: 10'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[10' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9700903

Nominal Width: 10'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[10' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9700905

Nominal Width: 10'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

[12' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes](#)



Catalog # 9701001

Nominal Width: 12'
Blower Requirements: Remote blower required
Electrical Duplexes: 1
Service Fixtures: 2
Style: Floor-Mounted

16' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes



Catalog # 9716001

Nominal Width: 16'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

16' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes



Catalog # 9716005

Nominal Width: 16'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Service Fixtures: 2

Style: Floor-Mounted

16' Protector XL Floor-Mounted Laboratory Hood with four horizontal-sliding sashes



Catalog # 9716003

Nominal Width: 16'

Blower Requirements: Remote blower required

Electrical Duplexes: 1

Style: Floor-Mounted

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru