

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru



Intelli-Sense Coated Steel Blowers

Intelli-Sense Multi-Speed Coated Steel Blower feature a direct drive ECM motor, which consumes one third less energy than belt drive motors, and a phenolic-coated impeller and housing. Unit comes with control box and 3 speed blower switch.

Adjustable over broad range of airflows. Max o 350 CFM @ 0.08" SP to 1250 CFM @ 0.7" SP 10" dia. inlet.

Dedicated multi-speed blowers that maximize energy efficiency for single hood installations.

Additional Features & Specifications

Features

- Phenolic coating on impeller and housing is corrosion resistant.
- Powder-coated base and weather cover provide long life in extreme weather

- Direct drive ECM motor uses one third less energy than belt driven motors.
- Thermal override protection. RPM speeds are automatically attenuated to prevent motor overload.
- Flow-through vent holes and louvres allow air to circulate.
- Removable weather cover allows easy access to ECM motor and impeller shaft.
- Forward curved impellers are balanced to ensure quiet operation and optimum air delivery.
- Speed control box included for mounting on top of user-supplied fume hood, and blower-switch label* for multiple speed operation.
- When blower is properly installed to ductwork, sound levels range from 50 to 70 dba.
- Variable exhaust orientation adjusts to eight outlet positions for installation flexibility. Adjustable discharge direction accommodates auxiliary-air requirements or unusual blower locations.

**Label is factory-prepared for Protector XStream, Premier, XL, Stainless Steel, PVC, and Pass-Through Laboratory Hoods, and Basic and Fiberglass 30 Laboratory Hoods. For other hoods, the switch may require on-site hood modifications or mounting on an adjacent wall. Switch cutout is 0.83" x 1.45" (2.1cm x 3.7cm).*

Required Accessories

- Ductwork

[Intelli-Sense Multi-Speed Coated Steel Blower, 115v](#)

Catalog # 7061110



Product Subcategory: Coated Steel Blowers
Motor Type: Energy Efficient Direct Drive ECM Motor
CFM: Less than 1000, Between 1000 and 2000
Explosion-Proof: No
Hood Application: Low to moderately corrosive
HP: 1
Inlet/Outlet: 10.78" Inlet, 5.5" d x 10.00" w Outlet

[Intelli-Sense Multi-Speed Coated Steel Blower, 230v](#)

Catalog # 7061120



Product Subcategory: Coated Steel Blowers
Motor Type: Energy Efficient Direct Drive ECM Motor
CFM: Less than 1000, Between 1000 and 2000
Explosion-Proof: No
Hood Application: Low to moderately corrosive
HP: 1
Inlet/Outlet: 10.78" Inlet, 5.5" d x 10.00" w Outlet

[Intelli-Sense Multi-Speed Coated Steel Blower without Controls, 115V](#)

Catalog # 7061111



[Intelli-Sense Multi-Speed Coated Steel Blower, 115v](#)

Catalog # 7061112



Product Subcategory: Coated Steel Blowers
Motor Type: Energy Efficient Direct Drive ECM Motor
CFM: Less than 1000, Between 1000 and 2000
Explosion-Proof: No
Hood Application: Low to moderately corrosive
HP: 1
Inlet/Outlet: 12.25" Inlet, 7.0" d x 13.50" w Outlet

[Intelli-Sense Multi-Speed Coated Steel Blower, 230v](#)

Catalog # 7061122



Product Subcategory: Coated Steel Blowers
Motor Type: Energy Efficient Direct Drive ECM Motor
CFM: Less than 1000, Between 1000 and 2000
Explosion-Proof: No
Hood Application: Low to moderately corrosive
HP: 1
Inlet/Outlet: 12.25" Inlet, 7.0" d x 13.50" w Outlet

[Intelli-Sense Multi-Speed Coated Steel Blower without Controls, 115V](#)

Catalog # 7061113



Product Subcategory: Coated

Steel Blowers

CFM: Less than 1000, Between
1000 and 2000

Explosion-Proof: No

Hood Application: Low to
moderately corrosive

HP: 1

Inlet/Outlet: 10.78" Inlet, 5.5" d x
10.00" w Outlet

[Intelli-Sense Multi-Speed Coated
Steel Blower without Controls.
230V](#)

Catalog # 7061121



Product Subcategory: Coated

Steel Blowers

CFM: Less than 1000, Between
1000 and 2000

Explosion-Proof: No

Hood Application: Low to
moderately corrosive

HP: 1

Inlet/Outlet: 10.78" Inlet, 5.5" d x
10.00" w Outlet

Product Subcategory: Coated

Steel Blowers

CFM: Less than 1000, Between
1000 and 2000

Explosion-Proof: No

Hood Application: Low to
moderately corrosive

HP: 1

Inlet/Outlet: 12.25" Inlet, 7.0" d x
13.50" w Outlet

[Intelli-Sense Multi-Speed Coated
Steel Blower without Controls.
230V](#)

Catalog # 7061123



Product Subcategory: Coated

Steel Blowers

CFM: Less than 1000, Between
1000 and 2000

Explosion-Proof: No

Hood Application: Low to
moderately corrosive

HP: 1

Inlet/Outlet: 12.25" Inlet, 7.0" d x
13.50" w Outlet

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru