



FreeZone 1 Liter Benchtop Freeze Dry Systems

FreeZone 1 Liter Benchtop Freeze Dry System is designed for light aqueous sample loads or personal use. This model is not for use with samples containing acetonitrile. Compact design with small footprint fits in tight spaces. Powder-coated steel exterior. Upright stainless steel collector coil removes a maximum of 1 liter of water in 24 hours and holds 1 liter of ice before defrosting is necessary.* Features 1/4 hp refrigeration system; LCD for display of set up and operating parameters and total number of hours since refrigeration and vacuum were serviced; one button automatic refrigeration and vacuum start up with manual overrides; collector drain hose; power switch; 3" diameter accessory attachment port; rubber feet; 3' of 3/4" ID vacuum hose and 2 clamps. Vacuum pump, drying accessory and freeze dry glassware are required (not included).

* Freeze drying rate will be lower for samples other than shell-frozen plain water. For optimum performance, room temperature should be 21° C (70° F) or colder."

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

[FreeZone 1 Liter Benchtop Freeze Dry System](#)



Catalog # 7740020

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Plug Type: North America, 115V

Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze Dry System with PTFE-coated collector](#)



Catalog # 7740021

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Options Included: Corrosion-
Resistant Collector

Plug Type: North America, 115V

Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze Dry System](#)



Catalog # 7740030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Plug Type: Schuko

Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze Dry System with PTFE-coated collector](#)



Catalog # 7740031

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Options Included: Corrosion-
Resistant Collector

Plug Type: Schuko

Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze Dry System](#)



Catalog # 7740040

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Plug Type: Schuko

Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze Dry System with PTFE-coated collector](#)



Catalog # 7740041

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 1L

Options Included: Corrosion-
Resistant Collector

Plug Type: Schuko

Style: Benchtop

Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Plug Type: North America, 230V
Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze
Dry System](#)



Catalog # 7740060

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Plug Type: British (UK)
Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze
Dry System](#)



Catalog # 7740070

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Plug Type: China/Australia
Style: Benchtop

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Options Included: Corrosion-
Resistant Collector
Plug Type: North America, 230V
Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze
Dry System with PTFE-coated
collector](#)



Catalog # 7740061

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Options Included: Corrosion-
Resistant Collector
Plug Type: British (UK)
Style: Benchtop

[FreeZone 1 Liter Benchtop Freeze
Dry System with PTFE-coated
collector](#)



Catalog # 7740071

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 1L
Options Included: Corrosion-
Resistant Collector
Plug Type: China/Australia
Style: Benchtop



FreeZone Plus 2.5 Liter Cascade Benchtop Freeze Dry Systems

FreeZone Plus 2.5 Liter Cascade Benchtop Freeze Dry System is designed for light sample loads or personal use. Cascade refrigeration can handle samples with low eutectic points. Compact design fits in tight spaces. Powder-coated steel exterior. Upright stainless steel collector coil removes a maximum of 1.8 liters of water in 24 hours and holds 2.5 liters of ice before defrosting is necessary.* Features 1/4 hp and 1/3 hp dual refrigeration systems; LCD for display of set up and operating parameters alarm messages and total number of hours since refrigeration and vacuum were serviced; audible/visual alarm for abnormal system event (power failure, improper line voltage supply, collector temperature above -40°C , moisture in collector, and service vacuum pump; patented moisture sensor; vacuum control and break valve; RS-232 port; one button automatic refrigeration and vacuum start up with manual overrides; collector drain hose; power switch; 3" diameter accessory attachment port; rubber feet; 3' of 3/4" ID vacuum hose and 2 clamps. Vacuum pump, drying accessory and freeze dry glassware are required (not included).

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System**



Catalog # 7670020

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: North America, 115V
Style: Benchtop

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System**



Catalog # 7670040

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: North America, 230V
Style: Benchtop

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System**



Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: China/Australia
Style: Benchtop

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System**



Catalog # 7670030

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: Schuko
Style: Benchtop

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System**



Catalog # 7670060

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: British (UK)
Style: Benchtop

**FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System wit**



Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Options Included: Corrosion-
Resistant Collector
Plug Type: North America, 115V
Style: Benchtop

[FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7670031

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: Schuko

Style: Benchtop

[FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7670061

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: British (UK)

Style: Benchtop

[FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System wit
PTFE-Coated Collector](#)



Catalog # 7670041

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: North America, 230V

Style: Benchtop

[FreeZone Plus 2.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7670071

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: China/Australia

Style: Benchtop



FreeZone Plus 2.5 Liter Cascade Console Freeze Dry Systems

FreeZone Plus 2.5 Liter Cascade Console Freeze Dry System is designed for light sample loads or personal use. Cascade refrigeration can handle samples with low eutectic points. Compact console cabinet's interior has room to accommodate a rotary vane vacuum pump (not included). Powder-coated steel exterior.

Upright stainless steel collector coil removes a maximum of 1.8 liters of water in 24 hours and holds 2.5 liters of ice before defrosting is necessary.* Features 1/4 hp and 1/3 hp dual refrigeration systems; LCD for display of set up and operating parameters, alarm messages and total number of hours since refrigeration and vacuum were serviced; audible/visual alarm for abnormal system event (power failure, improper line voltage supply, collector temperature above -40° C, moisture in collector, and service vacuum pump; patented moisture sensor; vacuum control and break valve; RS-232 port; one button automatic refrigeration and vacuum start up with manual overrides; collector drain hose; power switch; 3" diameter casters; 3" diameter accessory attachment port; 3' of 3/4" ID vacuum hose and

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7420020

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: North America, 115V
Style: Console

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7420030

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: Schuko
Style: Console

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7420040

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: North America 230V

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7420060

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: British (UK)

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7420070

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Plug Type: China/Australia
Style: Console

[FreeZone Plus 2.5 Liter Cascade
Console Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7420021

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 2.5L
Options Included: Corrosion-
Resistant Collector
Plug Type: North America, 115V
Style: Console

[FreeZone Plus 2.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7420031

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: Schuko

Style: Console

[FreeZone Plus 2.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7420041

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 2.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7420061

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector

[FreeZone Plus 2.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7420071

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 2.5L

Options Included: Corrosion-
Resistant Collector



FreeZone 4.5 Liter Benchtop Freeze Dry Systems

FreeZone 4.5 Liter Benchtop Freeze Dry System is designed for light aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of over 2 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; LCD that displays system operating parameters; set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 1/3 hp CFC-free refrigeration system; re alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS 232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps. Features a permanently-installed 10-port stainless steel drying chamber and stainless steel collector chamber and coil.

FreeZone 4.5 Liter Benchtop
Freeze Dry System with PTFE-
Coated Collector



Catalog # 7750021

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: North America, 115V

Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System with PTFE-
Coated Collector](#)



Catalog # 7750041

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: North America, 230V

FreeZone 4.5 Liter Benchtop
Freeze Dry System with PTFE-
Coated Collector



Catalog # 7750031

Region: International

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: Schuko

Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System with PTFE-
Coated Collector](#)



Catalog # 7750061

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: British (UK)

[FreeZone 4.5 Liter Benchtop
Freeze Dry System with PTFE-
Coated Collector](#)



Catalog # 7750071

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber
Plug Type: China/Australia
Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System](#)



Catalog # 7750030

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Built-in 10-port
Drying Chamber
Plug Type: Schuko
Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System](#)



Catalog # 7750060

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Built-in 10-port
Drying Chamber
Plug Type: British (UK)

[FreeZone 4.5 Liter Benchtop
Freeze Dry System](#)



Catalog # 7750020

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Built-in 10-port
Drying Chamber
Plug Type: North America, 115V
Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System](#)



Catalog # 7750040

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Built-in 10-port
Drying Chamber
Plug Type: North America, 230V
Style: Benchtop

[FreeZone 4.5 Liter Benchtop
Freeze Dry System](#)



Catalog # 7750070

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 4.5L
Options Included: Built-in 10-port
Drying Chamber
Plug Type: China/Australia

FreeZone 4.5 Liter Console Freeze Dry Systems



FreeZone 4.5 Liter Console Freeze Dry System is designed for light aqueous sample loads. Removes a maximum of over 2 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; LCD that displays system operating parameters; set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 1/3 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps. Features a permanently-installed 10-port stainless steel drying chamber and stainless steel collector chamber and coil.

* Freeze drying rate will be lower for samples other than shell-frozen plain water. For optimum performance, room temperature

FreeZone 4.5 Liter Console
Freeze Dry System with PTFE-
Coated Collector



Catalog # 7751021

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: North America, 115V

Style: Console

[FreeZone 4.5 Liter Console](#)
[Freeze Dry System with PTFE-](#)
[Coated Collector](#)



Catalog # 7751041

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: North America, 230V

Style: Console

FreeZone 4.5 Liter Console
Freeze Dry System with PTFE-
Coated Collector



Catalog # 7751031

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: Schuko

Style: Console

[FreeZone 4.5 Liter Console](#)
[Freeze Dry System with PTFE-](#)
[Coated Collector](#)



Catalog # 7751061

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: British (UK)

Style: Console

[Coated Collector](#)



Catalog # 7751071

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, Built-in 10-port
Drying Chamber

Plug Type: China/Australia

Style: Console

[Freeze Dry System](#)



Catalog # 7751020

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Built-in 10-port
Drying Chamber

Plug Type: North America, 115V

Style: Console

[FreeZone 4.5 Liter Console Freeze Dry System](#)



Catalog # 7751030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Built-in 10-port
Drying Chamber

Plug Type: Schuko

Style: Console

[FreeZone 4.5 Liter Console Freeze Dry System](#)



Catalog # 7751040

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Built-in 10-port
Drying Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 4.5 Liter Console Freeze Dry System](#)



Catalog # 7751060

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 4.5L

Options Included: Built-in 10-port
Drying Chamber

Plug Type: British (UK)

Style: Console

[FreeZone 4.5 Liter Console Freeze Dry System](#)



Catalog # 7751070

Region: International

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 4.5L

Options Included: Built-in 10-port
Drying Chamber

Plug Type: China/Australia

Style: Console

FreeZone Plus 4.5 Liter Cascade Benchtop Freeze Dry Systems



FreeZone 4.5 Liter Cascade Benchtop Freeze Dry System is designed for light sample loads with low eutectic points including ones containing acetonitrile. Removes a maximum of over 4 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters; set-up parameters and alarm messages (choice of temperature in °C and °F); choice of vacuum in mBar, Pa and Torr); 1/3 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port for automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps. Features a 12-port stainless steel drying chamber.

FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector



Catalog # 7386021

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: North America, 115V

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7386031

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: Schuko

FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System wit
PTFE-Coated Collector



Catalog # 7386041

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: North America, 230V

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System wit
PTFE-Coated Collector](#)



Catalog # 7386061

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: British (UK)

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7386071

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: China/Australia

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System](#)



Catalog # 7386020

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: North America, 115V

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System](#)



Catalog # 7386040

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: Schuko

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System](#)



Catalog # 7386030

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: Schuko

Style: Benchtop

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System](#)



Catalog # 7386060

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: British (UK)

[FreeZone Plus 4.5 Liter Cascade
Benchtop Freeze Dry System](#)



Catalog # 7386070

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: China/Australia



FreeZone Plus 4.5 Liter Cascade Console Freeze Dry Systems

FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System is designed for light sample loads with low eutectic points including ones containing acetonitrile. Removes over 4 liters of water in 24 hours.* Includes brushed stainless steel and epoxy-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters; set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 1/3 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port or automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps. Features a 12-port stainless steel drying chamber.

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System](#)



Catalog # 7387020

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: North America, 115V

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System](#)



Catalog # 7387030

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: Schuko

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System](#)



Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: China/Australia

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System](#)



Catalog # 7387040

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System](#)



Catalog # 7387060

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber

Plug Type: British (UK)

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System with](#)



Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: North America, 115V

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7387041

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7387061

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: British (UK)

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7387031

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: Schuko

Style: Console

[FreeZone Plus 4.5 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7387071

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 4.5L

Options Included: 12-port drying
chamber, 12-port drying chamber

Plug Type: China/Australia

Style: Console



FreeZone -105 4.5 Liter Cascade Benchtop Freeze Dry Systems

FreeZone -105° C 4.5 Liter Cascade Benchtop Freeze Dry System is designed for light sample loads with very low eutectic points including ones containing small amounts of methanol and ethanol. Removes a maximum of 2.5 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters; set-up parameters and alarm messages (choice of temperature in C and F, choice of vacuum in mBar, Pa and Torr); dual 1/3 hp CFC-free refrigeration systems; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS 232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps. Features a 12-port stainless steel drying chamber.

FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System



Catalog # 7382020

Region: U.S. and Canada
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: 12-port drying
chamber
Plug Type: North America, 115V
Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System](#)



Catalog # 7382032

Region: International
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: 12-port drying

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System](#)



Catalog # 7382040

Region: U.S. and Canada
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: 12-port drying
chamber
Plug Type: North America, 230V
Style: Benchtop

FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System



Catalog # 7382030

Region: International
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: 12-port drying
chamber
Plug Type: Schuko
Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System](#)



Catalog # 7382034

Region: International
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: 12-port drying

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System with PTFE-Coated
Collector](#)



Catalog # 7382021

Region: U.S. and Canada
Collector Temperature: -105° C,
-157° F
Ice Holding Capacity: 4.5L
Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber
Plug Type: North America, 115V
Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System with PTFE-Coated
Collector](#)



Catalog # 7382031

Region: International

Collector Temperature: -105° C,
-157° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: Schuko

Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System with PTFE-Coated
Collector](#)



Catalog # 7382035

Collector Temperature: -105° C,
-157° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: China/Australia

Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System with PTFE-Coated
Collector](#)



Catalog # 7382033

Region: International

Collector Temperature: -105° C,
-157° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: British (UK)

Style: Benchtop

[FreeZone -105°C 4.5 Liter
Cascade Benchtop Freeze Dry
System with PTFE-Coated
Collector](#)



Catalog # 7382041

Collector Temperature: -105° C,
-157° F

Ice Holding Capacity: 4.5L

Options Included: Corrosion-
Resistant Collector, 12-port drying
chamber

Plug Type: North America, 230V

Style: Benchtop



FreeZone 6 Liter Benchtop Freeze Dry Systems with Stoppering Tray Dryers

FreeZone 6 Liter Benchtop Freeze Dry System is designed for light to moderate aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 4 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 3/4 hp CFC-free refrigeration system; re alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS 232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758020

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: North America, 115V

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758040

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758070

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: China/Australia

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: Schuko

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758060

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with PTFE-Coated Collector and Stoppering Tray Dryer](#)



Catalog # 7758021

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: North America, 115V

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with PTFE-Coated Collector and Stoppering Tray Dryer](#)



Catalog # 7758031

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: Schuko

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with PTFE-Coated Collector and Stoppering Tray Dryer](#)



Catalog # 7758041

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: North America, 230V

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with PTFE-Coated Collector and Stoppering Tray Dryer](#)



Catalog # 7758061

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: British (UK)

Style: Benchtop

[FreeZone 6 Liter Benchtop Freeze Dry System with PTFE-Coated Collector and Stoppering Tray Dryer](#)



Catalog # 7758071

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: China/Australia

Style: Benchtop



FreeZone 6 Liter Console Freeze Dry Systems

FreeZone 6 Liter Console Freeze Dry System is designed for light to moderate aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 4 liters of water in 24 hours.*

Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 3/4 hp CFC-free refrigeration system; re alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS 232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.



[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753020

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Plug Type: North America, 115V
Style: Console

[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753040

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Plug Type: North America, 230V
Style: Console

[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753070

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Plug Type: China/Australia
Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7753032

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Options Included: Purge Valve
Plug Type: Schuko
Style: Console

[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753030

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Plug Type: Schuko
Style: Console


[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753060

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Plug Type: British (UK)
Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7753022

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Options Included: Purge Valve
Plug Type: North America, 115V
Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7753042

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 6L
Options Included: Purge Valve
Plug Type: North America, 230V
Style: Console

[FreeZone 6 Liter Console Freeze
Dry System with Purge Valve](#)



Catalog # 7753062

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7753026

Region: U.S. and Canada

58 F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Mini Chamber

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze
Dry System with Purge Valve](#)



Catalog # 7753072

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7753036

Region: International

58 F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7753046

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7753066

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Mini Chamber

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7753076

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Shell Freezer](#)



Catalog # 7753522

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Shell Freezer

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Shell Freezer](#)



Catalog # 7753532

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Shell Freezer

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Shell Freezer](#)



Catalog # 7753542

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Shell Freezer

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Shell Freezer](#)



Catalog # 7753562

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Shell Freezer

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and Shell Freezer](#)



Catalog # 7753572

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Shell Freezer

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7753024

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7753034

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7753044

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7753064

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7753074

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7753027

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector Purge Valve, Mini Chamber

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7753037

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve, Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7753047

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector Purge Valve, Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7753067

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve, Mini Chamber

Plug Type: British (UK)

[FreeZone 6 Liter Console Freeze Dry System Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7753077

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector Purge Valve, Mini Chamber

Plug Type: China/Australia

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve, Shell Freezer and PTFE-Coated Collector](#)



Catalog # 7753524

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve, Shell Freezer

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System Purge Valve, Shell Freezer and PTFE-Coated Collector](#)



Catalog # 7753534

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector Purge Valve, Shell Freezer

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve, Shell Freezer and PTFE-Coated Collector](#)



Catalog # 7753544

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve, Shell Freezer

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System Purge Valve, Shell Freezer and PTFE-Coated Collector](#)



Catalog # 7753564

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector Purge Valve, Shell Freezer

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Purge Valve, Shell Freezer and PTFE-Coated Collector](#)



Catalog # 7753574

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve, Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System PTFE-Coated Collector](#)



Catalog # 7753021

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with](#)

[FreeZone 6 Liter Console Freeze Dry System](#)



Catalog # 7753031

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7753061

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: British (UK)

Style: Console



Catalog # 7753041

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System PTFE-Coated Collector](#)



Catalog # 7753071

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: China/Australia

Style: Console



FreeZone 6 Liter Console Freeze Dry Systems with Stoppering Tray Dryers

FreeZone 6 Liter Console Freeze Dry System is designed for light to moderate aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 4 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 3/4 hp CFC-free refrigeration system; re alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS 232 port; automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included), 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758520

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758540

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
D

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758530

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758560

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
D

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer](#)



Catalog # 7758570

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7758532

Region: International

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 6L

Options Included: Stoppering Tray
Dryer

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7758562

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7758522

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 6L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7758542

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7758572

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collector](#)



Catalog # 7758521

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collector](#)



Catalog # 7758541

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Stoppering Tray Dryer

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collector](#)



Catalog # 7758571

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Stoppering Tray

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collecto](#)



Catalog # 7758531

Options Included: Corrosion-Resistant Collector, Stoppering Tray Dryer

Plug Type: Schuko

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collecto](#)



Catalog # 7758561

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Stoppering Tray Dryer

Plug Type: British (UK)

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer, Purge Valve and PTFE-Coated Collector](#)



Catalog # 7758524

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-

Plug Type: China/Australia

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer, Purge Valve and PTFE-Coated Collector](#)



Catalog # 7758534

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: Schuko

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer, Purge Valve and PTFE-Coated Collector](#)



Catalog # 7758564

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: British (UK)

Style: Console

Stoppering Tray Dryer

Plug Type: North America, 115V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer, Purge Valve and PTFE-Coated Collector](#)



Catalog # 7758544

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: North America, 230V

Style: Console

[FreeZone 6 Liter Console Freeze Dry System with Stoppering Tray Dryer, Purge Valve and PTFE-Coated Collector](#)



Catalog # 7758574

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 6L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: China/Australia

Style: Console



FreeZone Plus 6 Liter Cascade Console Freeze Dry Systems

FreeZone Plus 6 Liter Cascade Console Freeze Dry System is designed for light to moderate loads of low eutectic point samples. Removes a maximum of 4.1 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); two 1/3 hp CFC-free refrigeration systems; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port for automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7934020

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Plug Type: North America, 115V
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7934040

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7934047

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7934030

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Plug Type: Schuko
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System](#)



Catalog # 7934060

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Plug Type: British (UK)
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7934067

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber
Plug Type: British (UK)
Style: Console

[Console Freeze Dry System](#)



Catalog # 7934070

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Plug Type: China/Australia

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve](#)



Catalog # 7934032

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve](#)



Catalog # 7934062

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone Plus 6 Liter Cascade](#)

[Console Freeze Dry System with Purge Valve](#)



Catalog # 7934022

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: North America, 115V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve](#)



Catalog # 7934042

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve](#)



Catalog # 7934072

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 6L

Options Included: Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone Plus 6 Liter Cascade](#)



Catalog # 7934026

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Purge Valve,
Mini Chamber
Plug Type: North America, 115V
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Catalog # 7934046

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Purge Valve,
Mini Chamber
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Catalog # 7934076

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Purge Valve,
Mini Chamber
Plug Type: China/Australia
Style: Console



Catalog # 7934036

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Purge Valve,
Mini Chamber
Plug Type: Schuko
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Catalog # 7934066

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Purge Valve,
Mini Chamber
Plug Type: British (UK)
Style: Console

[FreeZone Plus 6 Liter Cascade
Console Freeze Dry System with
Purge Valve and PTFE-Coated
Collector](#)



Catalog # 7934024

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 6L
Options Included: Corrosion-
Resistant Collector, Purge Valve
Plug Type: North America, 115V
Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7934034

Region: International

Collector Temperature: -84° C, -119° F


Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7934064

Region: International **Collector**

Temperature: -84° C, -119° F

Ice Holding Capacity: 6L **Options**

Included: Corrosion-Resistant Collector, Purge Valve **Plug Type:** British (UK)

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7934027

Region: U.S. and Canada

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Resistant Collector, Purge Valve, Mini Chamber

Plug Type: North America, 115V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7934044

Region: U.S. and Canada

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7934074

Region: International **Collector**

Temperature: -84° C, -119° F

Ice Holding Capacity: 6L **Options**

Included: Corrosion-Resistant Collector, Purge Valve **Plug Type:** China/Australia **Style:** Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7934037

Region: International

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Resistant Collector, Purge Valve, Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7934077

Region: International

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector, Purge Valve, Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7934021

Region: U.S. and Canada

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: North America, 115V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7934031

Region: International

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: Schuko

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7934041

Region: U.S. and Canada

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7934061

Region: International

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: British (UK)

Style: Console

[FreeZone Plus 6 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7934071

Region: International

Collector Temperature: -84° C, -119° F

Ice Holding Capacity: 6L

Options Included: Corrosion-Resistant Collector

Plug Type: China/Australia

Style: Console



FreeZone 12 Liter Console Freeze Dry Systems

FreeZone 12 Liter Console Freeze Dry System is designed for moderate aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 8 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector and coil; LCD that displays system operating parameters, set up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 1 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port; automatic start-up switch for collector cool-down and vacuum pull down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone 12 Liter Console Freeze Dry System](#)



Catalog # 7754030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System](#)



Catalog # 7754060

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7754032

Collector Temperature: 50 C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System](#)



Catalog # 7754040

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System](#)



Catalog # 7754070

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7754042

Collector Temperature: 50 C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7754062

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7754072

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7754036

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7754046

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7754066

Region: International

Collector Temperature: -50° C

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Mini Chamber

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and Mini Chamber](#)



Catalog # 7754076

Region: International

Collector Temperature: -50° C

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7754034

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7754064

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve. Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7754037

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7754044

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7754074

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve. Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7754047

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7754067

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freez Dry System with Purge Valve, Min Chamber and PTFE-Coated Collector](#)



Catalog # 7754077

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with PTFE-coated collector](#)



Catalog # 7754031

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freez Dry System with PTFE-Coated Collector](#)



Catalog # 7754041

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with PTFE-coated collector](#)



Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freez Dry System with PTFE-Coated Collector](#)



Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector

Plug Type: China/Australia

Style: Console



FreeZone 12 Liter Console Freeze Dry Systems with Stoppering Tray Dryers

FreeZone 12 Liter Console Freeze Dry System is designed for moderate aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 8 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector and coil; LCD that displays system operating parameters, set up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); 1 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port; automatic start-up switch for collector cool-down and vacuum pull down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.



FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer



Catalog # 7759030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Stoppering Tray
Dryer

Plug Type: Schuko

Style: Console

FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer



Catalog # 7759060

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Stoppering Tray
Dryer

Plug Type: British (UK)

Style: Console

[Dry System with Stoppering Tray
Dryer, Purge Valve and PTFE-
Coated Collector](#)



Catalog # 7759064

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: British (UK)

Style: Console

FreeZone 12 Liter Console Freez
Dry System with Stoppering Tray
Dryer



Catalog # 7759040

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Stoppering Tray
Dryer

Plug Type: North America, 230V

Style: Console

FreeZone 12 Liter Console Freez
Dry System with Stoppering Tray
Dryer



Catalog # 7759070

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Stoppering Tray
Dryer

Plug Type: China/Australia

Style: Console

[Dry System with Stoppering Tray
Dryer, Purge Valve and PTFE-
Coated Collector](#)



Catalog # 7759074

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7759032

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7759062

Region: International

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 12L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collector](#)



Catalog # 7759031

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7759042

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and Purge Valve](#)



Catalog # 7759072

Region: International

Collector Temperature: -50° C,
-58° F


Ice Holding Capacity: 12L

Options Included: Purge Valve,
Stoppering Tray Dryer

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze Dry System with Stoppering Tray Dryer and PTFE-Coated Collector](#)



Catalog # 7759041

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: Schuko

Style: Console

[FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer and PTFE-Coated Collector](#)



Catalog # 7759061

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: British (UK)

Style: Console

[FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer, Purge Valve and PTFE-
Coated Collector](#)



Catalog # 7759034

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: Schuko

Style: Console

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: North America, 230V

Style: Console

[FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer and PTFE-Coated Collecto](#)



Catalog # 7759071

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Stoppering Tray
Dryer

Plug Type: China/Australia

Style: Console

[FreeZone 12 Liter Console Freeze
Dry System with Stoppering Tray
Dryer, Purge Valve and PTFE-
Coated Collector](#)



Catalog # 7759044

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Stoppering Tray Dryer

Plug Type: North America, 230V

Style: Console



FreeZone Plus 12 Liter Cascade Freeze Dry Systems

FreeZone Plus 12 Liter Cascade Console Freeze Dry System is designed for light to moderate loads of low eutectic point samples. Removes a maximum of 4 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector chamber and coil; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F, choice of vacuum in mBar, Pa and Torr); two 3/4 hp CFC-free refrigeration systems; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included); 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7960061

Region: International
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-Resistant Collector
Plug Type: British (UK)
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7960071

Region: International
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-Resistant Collector
Plug Type: China/Australia
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System](#)



Catalog # 7960030

Region: International
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Plug Type: Schuko
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System](#)



Catalog # 7960040

Region: U.S. and Canada
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System](#)



Catalog # 7960060

Region: International
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Plug Type: British (UK)
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System](#)



Catalog # 7960070

Region: International
Collector Temperature: -84° C, -119° F
Ice Holding Capacity: 12L
Plug Type: China/Australia
Style: Console

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System with](#)

[FreeZone Plus 12 Liter Cascade Console Freeze Dry System with](#)



Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve
Plug Type: Schuko
Style: Console


[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve](#)



Catalog # 7960062

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve
Plug Type: British (UK)
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Catalog # 7960036

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve,
Mini Chamber
Plug Type: Schuko
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve](#)



Catalog # 7960072

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve
Plug Type: China/Australia
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Catalog # 7960046

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve,
Mini Chamber
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and Mini Chamber](#)



Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve,
Mini Chamber
Plug Type: British (UK)
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and PTFE-Coated
Collector](#)



Catalog # 7960034

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-
Resistant Collector, Purge Valve
Plug Type: Schuko
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and PTFE-Coated
Collector](#)



Catalog # 7960064

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-
Resistant Collector, Purge Valve
Plug Type: British (UK)
Style: Console



Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Purge Valve,
Mini Chamber
Plug Type: China/Australia
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and PTFE-Coated
Collector](#)



Catalog # 7960044

Region: U.S. and Canada
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-
Resistant Collector, Purge Valve
Plug Type: North America, 230V
Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve and PTFE-Coated
Collector](#)



Catalog # 7960074

Region: International
Collector Temperature: -84° C,
-119° F
Ice Holding Capacity: 12L
Options Included: Corrosion-
Resistant Collector, Purge Valve
Plug Type: China/Australia
Style: Console

[Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7960037

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7960067

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: British (UK)

Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7960031

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L

[Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7960047

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
Purge Valve, Mini Chamber and
PTFE-Coated Collector](#)



Catalog # 7960077

Region: International

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L

Options Included: Corrosion-
Resistant Collector, Purge Valve,
Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone Plus 12 Liter Cascade
Console Freeze Dry System with
PTFE-Coated Collector](#)



Catalog # 7960041

Region: U.S. and Canada

Collector Temperature: -84° C,
-119° F

Ice Holding Capacity: 12L



FreeZone 18 Liter Console Freeze Dry Systems

FreeZone 18 Liter Console Freeze Dry System is designed for large aqueous sample loads. This model is not for use with samples containing acetonitrile. Removes a maximum of 10 liters of water in 24 hours.* Includes brushed stainless steel and powder-coated steel exterior; stainless steel collector coil and chamber; LCD that displays system operating parameters, set-up parameters and alarm messages (choice of temperature in °C and ° F choice of vacuum in mBar, Pa and Torr); 1 1/2 hp CFC-free refrigeration system; red alarm light; LED vacuum and temperature wave graphs; patented moisture sensor; vacuum control/break valve; rear-mounted RS-232 port for automatic start-up switch for collector cool-down and vacuum pull-down with manual override switches; hot gas defrost and switch; retractable collector drain line; 3" diameter port for connection of drying accessory; power switch; rear-mounted electrical receptacle for vacuum pump connection (pump not included) 3/4" OD vacuum connection; 3/4" ID vacuum hose; and two clamps.

[FreeZone 18 Liter Console Freeze Dry System](#)



Catalog # 7755030

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Plug Type: Schuko

Style: Console

[FreeZone 18 Liter Console Freeze Dry System](#)



Catalog # 7755040

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Plug Type: North America, 230V

Style: Console

[FreeZone 18 Liter Console Freeze Dry System](#)



Catalog # 7755060

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Plug Type: British (UK)

Style: Console

[FreeZone 18 Liter Console Freeze Dry System](#)



Catalog # 7755070

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Plug Type: China/Australia

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7755032

Collector Temperature: 50 C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve](#)



Catalog # 7755042

Collector Temperature: 50 C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve](#)



Catalog # 7755062

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve](#)



Catalog # 7755072

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7755036

Region: International

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve,
Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7755046

Region: U.S. and Canada

Collector Temperature: -50° C,
-58° F

Ice Holding Capacity: 18L

Options Included: Purge Valve,
Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7755066

Region: International

Collector Temperature: -50° C

Ice Holding Capacity: 18L

Options Included: Purge Valve,
Mini Chamber

Plug Type: British (UK)

Style: Console

[FreeZone 18 Liter Console Freeze
Dry System with Purge Valve and
Mini Chamber](#)



Catalog # 7755076

Region: International

Collector Temperature: -50° C

Ice Holding Capacity: 18L

Options Included: Purge Valve,
Mini Chamber

Plug Type: China/Australia

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7755034

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: Schuko

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7755044

Region: U.S. and Canada

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: North America, 230V

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7755064

Region: International

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: British (UK)

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve and PTFE-Coated Collector](#)



Catalog # 7755074

Region: International

Collector Temperature: -50° C, -58° F


Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve

Plug Type: China/Australia

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7755037

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve, Mini Chamber

Plug Type: Schuko

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7755047

Collector Temperature: -50° C, -58° F

Ice Holding Capacity: 18L

Options Included: Corrosion-Resistant Collector, Purge Valve, Mini Chamber

Plug Type: North America, 230V

Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7755067

Region: International **Collector**
Temperature: -50° C, -58° F
Ice Holding Capacity: 18L **Options**
Included: Corrosion-Resistant Collector,
Purge Valve, Mini Chamber
Plug Type: British (UK)
Style: Console

[FreeZone 18 Liter Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7755031

Region: International
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 18L
Options Included: Corrosion-
Resistant Collector
Plug Type: Schuko
Style: Console

[FreeZone 18 Liter Console Freeze Dry System with PTFE-Coated Collector](#)

Region: International **Collector Temperature:**
-50° C, -58° F
Ice Holding Capacity: 18L **Options Included:**
Corrosion-Resistant Collector
Plug Type: British (UK)
Style: Console

[FreeZone 18 Liter Console Freeze Dry System with Purge Valve, Mini Chamber and PTFE-Coated Collector](#)



Catalog # 7755077

Region: International **Collector**
Temperature: -50° C, -58° F
Ice Holding Capacity: 18L **Options**
Included: Corrosion-Resistant Collector,
Purge Valve, Mini Chamber
Plug Type: China/Australia **Style:** Console

[FreeZone 18 Liter Console Freeze Dry System with PTFE-Coated Collector](#)



Catalog # 7755041

Region: U.S. and Canada
Collector Temperature: -50° C,
-58° F
Ice Holding Capacity: 18L
Options Included: Corrosion-
Resistant Collector
Plug Type: North America, 230V
Style: Console

[FreeZone 18 Liter Console Freeze Dry System with PTFE-Coated Collector](#)

Region: International **Collector**
Temperature: -50° C, -58° F
Ice Holding Capacity: 18L **Options**
Included: Corrosion-Resistant Collector
Plug Type: China/Australia **Style:** Console

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31