



Purifier Logic+ Class II, Type A2 Biosafety Cabinets

Purifier Logic+ Class II, Type A2 Biosafety Cabinets provide personnel, product and environmental protection from hazardous particulates such as agents that require Biosafety Level 1, 2 or 3 containment. Other appropriate applications include work with antineoplastic drugs, genetic material, asbestos and additional substances that generate hazardous airborne particulates. All models are NSF-Listed.

These biological safety cabinets are designed to discharge HEPA-filtered exhaust air directly into the laboratory, or into an exhaust system through the optional Canopy Connection. When canopy-connected, the biosafety cabinets may be used for applications involving minute quantities of volatile toxic chemicals and tracer amounts of radionuclides as an adjunct to microbiological research.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

Features (All Models)

Electronically Commutated Motor (ECM)

Constant Airflow Profile (CAP) airflow monitoring system Intrinsically-safe negative pressure design

Air-Wave™ Entry System

Contain-Air™ Negative Pressure Channel

Supply and exhaust 99.99% efficient HEPA filters. 99.999% efficient ULPA filters available

Interior-mounted, line-of-sight color LCD with MyLogic OS. Displays filter life, status messages for alarm conditions and alerts. 8 languages available

Bright, 90-150 footcandle, glare-free LED lighting located outside the contaminated work area

Fully-closing, clear 1/4" tempered safety glass sash

Curved stainless steel inlet grille with Reserve-Air Secondary Airflow Slots

Two electrical duplex receptacles. Flush-mounted-stainless steel with dampened hinges. Single outlets on 230V models. One outlet on each side, with ground fault interruption (115V)

Smart-Start™ System user-programmable start up & shut down

Night-Smart™ System reduces blower speed when sash is closed

Leak-tight stainless steel interior & powder-coated steel exterior

Removable towel catch located under work surface Code-activated electronic security lock

22.6" (57 cm) max. sash opening & 27.0" (69 cm) viewing height

10° Angled sash with counterbalanced, easy lift mechanism

ADA-Compliant touchpad control on right side post Noise level <63 dBA

Heat load 990 BTU/hour (4' models)

Removable, seamless type 304 stainless steel, dished work surface with lift out knobs

Nominal inflow velocity of 105 fpm (0.5 m/sec) Nominal downflow velocity of 55 fpm (0.3 m/sec) Approximately 70% air recirculation

Overall depth x height: 31.2" x 61.7" (79.2 x 156.7 cm) 10' (3 m) power cord with plug

Built-in timer and digital clock

Five year warranty

Required Accessories (Not Included)

- Supporting base if non-welded stand option is not selected

Options

- 3', 4', 5', and 6' widths
- International electrical configurations
- Non-welded, NSF-Approved, powder-coated steel telescoping base stand with fixed feet
- Accessory Package: 254 nm UV lamp, ADA-compliant service fixture(s) with ball-type valve(s), and NSF-Approved Vacu-Pass™ Cord & Cable Portal
- Cell Logic+ packages specifically designed for use with microscopes and temperature-sensitive samples
- Ventus Canopy Connection

Compliance

- ETL listed
- NSF International listed
- ADA-compliant (height of controls and receptacles)
- CE Conformity marking (230V models)
- ISO 5 conditions per ISO 14644-1 and 2

3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening



Catalog # 302380001

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening



Catalog # 302380011

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening](#)



Catalog # 302380021

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening](#)



Catalog # 302380041

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not
included)

Power Cord &

Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening](#)



Catalog # 302380071

Nominal Width: 3'

Protection Type: Product and
Personnel

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening](#)



Catalog # 302380031

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening](#)



Catalog # 302380051

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: British (UK),
230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380101

Nominal Width: 3'

Protection Type: Product and
Personnel

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America
115V, 15A

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380111

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America,
230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380121

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380131

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380141

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

**Power Cord &
Plug:** China/Australia, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380151

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening 8" (20 cm)

Base Stand: Included

Power Cord & Plug: British (UK),
230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening with Base Stand](#)



Catalog # 302380171

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening 8" (20 cm)

Base Stand: Included

Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 302381001

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &
Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not
included)

Power Cord & Plug: North America,
115V, 15A

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 302381011

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &
Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not
included)

Power Cord & Plug: North America
230V

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 302381021

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &
Tubing Portal

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 302381031

Nominal Width: 3'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &
Tubing Portal

Region: International

Base Stand: Required (not
included)

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II](#)

[Fixture and Vacu-Pass Portal](#)



Catalog # 302381041

[3' Purifier Logic+ Class II](#)

[Fixture and Vacu-Pass Portal](#)



Catalog # 302381051

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International **Base Stand:** Required (not included)

Power Cord &

Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302381071

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381111

Nominal Width: 3

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm) **Built**

In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381101

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America 115V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381121

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm) **Built**

In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381131

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381141

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381151

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302381171

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302480001

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302480011

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[Cabinet with 8" sash opening](#)



Catalog # 302480021

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[Cabinet with 8" sash opening](#)



Catalog # 302480031

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening](#)



Catalog # 302480041

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening](#)



Catalog # 302480051

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening](#)



Catalog # 302480071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480101

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480111

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U S and Canada

[4' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302481001

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu Pass Portal](#)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302480171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302481011

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu Pass Portal](#)



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302481041

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302481051

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302481071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481101

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481111

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302481171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302580001

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302580011

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302580021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302580031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)

Catalog # 302580041

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)

Catalog # 302580051



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302580071

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580111

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580131

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580101

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580121

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580141

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580151

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302580171

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581001

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581011

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581041

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581051

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302581071

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302581101

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Power Cord & Plug: India, 230V

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302581111



Catalog # 302581121

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302581131



Catalog # 302581141

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302581151



Catalog # 302581171

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680021

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 302680071

Nominal Width: 6'

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680101

Nominal Width: 6'

Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680111

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680131

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680121

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680141

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 302680171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681021

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302681071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302681171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310001

Nominal Width: 3'

Protection Type: Product and Personnel


Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310011

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310021

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310031

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310041

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310071

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302310051

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310101

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310111

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310121

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310131

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310141

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310151

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302310171

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302311001

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302311011

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302311021

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302311041

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302311071

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302311031

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302311051

Nominal Width: 3'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311101

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311111

Nominal Width: 3'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311131

Nominal Width: 3'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311151

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311121

Nominal Width: 3'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 15A

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311141

Nominal Width: 3'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[3' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302311171

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410001

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410021

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410011

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410031

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410041

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410051

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302410071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410101

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410111

Nominal Width: 4'

Protection Type: Product and Personnel


Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410131

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410141

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410151

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: British (UK), 230V

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302410171

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302411001

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Required (not included)
Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302411011

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Required (not included)
Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302411021

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302411031

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302411041

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302411051

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302411071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411101

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411111

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302411171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510001

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510011

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510041

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510051

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302510071

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stan](#)



Catalog # 302510101

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510111

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510121

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510131

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510141

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510151

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302510171

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 10" (25 cm)
Region: International
Base Stand: Included
Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service](#)

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv](#)



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302511021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302511041

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety](#)



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302511031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302511051

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety](#)



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511111

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V



Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511121

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511131

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511141

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511151

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302511171

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302610001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening](#)



Catalog # 302610011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[Cabinet with 10" sash opening](#)



Catalog # 302610021

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[Cabinet with 10" sash opening](#)



Catalog # 302610031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening](#)



Catalog # 302610041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening](#)



Catalog # 302610051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening](#)



Catalog # 302610071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening with Base Stan](#)



Catalog # 302610101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302610111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: U S and Canada

[6' Purifier Logic+ Class II A2 Biological Safety](#)

[Cabinet with 10" sash opening with Base Stan](#)



Catalog # 302610121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302610131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302610141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302610151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening with Base Stand](#)



Catalog # 302610171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302611001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302611011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu Pass Portal](#)

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu Pass Portal](#)



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302611041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302611051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302611071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 10" sash opening, UV Light, Serv Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302611171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 10" (25 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302420001

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302420011

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302420021

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302420031

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)

Catalog # 302420041

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)

Catalog # 302420051



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302420071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420111

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420101

Nominal Width: 4'

Protection Type: Product and Personnel


Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302420171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302421001

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302421011

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302421021

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302421031

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302421041

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302421051

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302421071

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421101

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421111

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

Power Cord & Plug: North America, 115V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421121

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[4' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302421171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520001

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520011

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520041

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520051

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302520071

Nominal Width: 5'

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520101

Nominal Width: 5'

Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520111

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520131

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520121

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520141

Nominal Width: 5'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520151

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302520171

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521001

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521011

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521021

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521031

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521041

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[Cabinet with 12" sash opening, UV Light, Serv Fixture and Vacu-Pass Portal](#)



Catalog # 302521051

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 302521071

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521101

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521111

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521121

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521131

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521141

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521151

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[5' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening, UV Light, Serv Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 302521171

Nominal Width: 5'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening](#)



Catalog # 302620001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening](#)



Catalog # 302620011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening](#)



Catalog # 302620021

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12\" sash opening](#)



Catalog # 302620031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302620041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302620071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening](#)



Catalog # 302620051

Nominal Width: 6'

Protection Type: Product and Personnel


Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening with Base Stand](#)



Catalog # 302620171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302621001

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixtures and Vacu-Pass Portal](#)



Catalog # 302621011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302621021

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302621041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 302621071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixtures and Vacu-Pass Portal](#)



Catalog # 302621031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixtures and Vacu-Pass Portal](#)



Catalog # 302621051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Serv Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621101

Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621111

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621131

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621151

Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621121

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621141

Nominal Width: 6'
Protection Type: Product and Personnel
Nominal Sash Opening: 12" (30.5 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II A2 Biological Safety Cabinet with 12" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 302621171

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Protection Type: Product and Personnel

Nominal Sash Opening: 12" (30.5 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru