



Purifier Logic+ Class II, Type B2 Biosafety Cabinets

Purifier Logic+ Class II, Type B2 Biosafety Cabinets provide personnel, product and environmental protection from hazardous particulates such as agents that require Biosafety Level 1, 2 or 3 containment. Other appropriate applications include work with antineoplastic drugs, genetic material, asbestos and additional substances that generate hazardous airborne particulates. All models are NSF-Listed.

These biological safety cabinets are designed to be hard ducted to the outside. During operation, room air is drawn into the top of the cabinet and through a supply HEPA filter. This filtered air flows downward through the work area. Room air is also drawn into the inlet grille located at the work access opening. All of the contaminated air passes through the exhaust HEPA filter. A dedicated exhaust system and remote blower discharge 100% of the filtered exhaust air from the laboratory. Since none of the air is recirculated, these biohazard cabinet may be used for work with agents treated with volatile toxic chemicals and radionuclides.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

Purifier Logic+ Class II, Type B2 Biosafety Cabinets provide personnel, product and environmental protection from hazardous particulates such as agents that require Biosafety Level 1, 2 or 3 containment. Other appropriate applications include work with antineoplastic drugs, genetic material, asbestos and additional substances that generate hazardous airborne particulates.

Additional Features & Specifications

All Type B2 Biosafety Cabinets rely on external blowers (usually on the roof of a building) to exhaust 100% of the air entering the cabinet. If the building exhaust blower fails or is mistakenly turned OFF, the cabinet will become pressurized, resulting in contaminated air flowing from the work area into the laboratory. Perform a risk assessment regarding the type of work to be performed in the cabinet if there is an unintended loss of exhaust air. Consider a Class II, Type C1 BSC for greater protection.

Features (All Models)

- Electronically Commutated Motor (ECM)
- Constant Airflow Profile (CAP) airflow monitoring system
- Intrinsically-safe negative pressure design
- Air-Wave Entry System
- Contain-Air Negative Pressure Channel

- Supply and exhaust 99.99% efficient HEPA filters.
99.999% efficient ULPA filters available
- Interior-mounted, line-of-sight, color LCD with MyLogic OS displays filter life, status messages for alarm conditions and alerts. 8 languages available
- Bright, 90-150 footcandle, glare-free LED lighting located outside the contaminated work area
- Fully-closing, clear 1/4" tempered safety glass sash
- Curved stainless steel inlet grille with Reserve-Air Secondary Airflow Slots
- Two electrical duplex receptacles. Flush-mounted-stainless steel with dampened hinges. Single outlets on 230V models. One outlet on each side, with ground fault interruption (115V)
- Smart-Start System user-programmable start up & shut down
- Leak-tight stainless steel interior & powder-coated steel exterior
- Removable towel catch located under work surface
- Code-activated electronic security lock
- 22.6" (57 cm) max. sash opening & 27.0" (69 cm) viewing height
- 10° Angled sash with counterbalanced, easy lift mechanism
- ADA-Compliant touchpad control on right side post
- Removable, seamless type 304 stainless steel, dished work surface with lift out knobs
- Noise level <63 dBA
- Heat load 990 BTU/hour (4' models)
- Nominal inflow velocity of 105 fpm (0.5 m/sec)
- Nominal downflow velocity of 55 fpm (0.3 m/sec)
- 10' (3 m) power cord with plug
- Five year warranty

Required Accessories (Not Included)

- Supporting base if non-welded stand option is not selected

Options

- 4' and 6' widths
- International electrical configurations
- Non-welded, NSF-Approved, powder-coated steel telescoping base stand with fixed feet
- Accessory Package: 254 nm UV lamp, ADA-compliant service fixture(s) with ball-type valve(s), and NSF-Approved Vacu-Pass™ Cord & Cable Portal
- Cell Logic+ packages specifically designed for use with microscopes and temperature-sensitive samples

Compliance

- ETL listed
- NSF International listed
- CE Conformity marking (230V models)
- ISO 5 conditions per ISO 14644-1 and 2
- ADA-Compliant (controls and receptacles)

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480001

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not

Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480011

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not

Power Cord & Plug: North America 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480021

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480041

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord &

Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480071

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480031

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480051

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480101

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480111

☐ Compare

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: U.S. and Canada
Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480131

☐ Compare

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480151

☐ Compare

Region: U.S. and Canada
Base Stand: Included

Power Cord & Plug: North America 115V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480121

☐ Compare

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480141

☐ Compare

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)

Catalog # 303480171

☐ Compare

Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK),
230V

[4' Purifier Logic+ Class II B2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 303481001

☐ Compare

Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not
included)

Power Cord & Plug: North America,
115V, 15A

[4' Purifier Logic+ Class II B2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 303481021

☐ Compare

Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &



Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II B2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 303481011

☐ Compare

Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not
included)

Power Cord & Plug: North America
230V

[4' Purifier Logic+ Class II B2
Biological Safety Cabinet with 8"
sash opening, UV Light, Service
Fixture and Vacu-Pass Portal](#)



Catalog # 303481031

☐ Compare

Nominal Width: 4'

Protection Type: Product and
Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves
(Air, Vacuum, etc.), Cord, Cable &

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening. UV Light. Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481041

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord &

Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening. UV Light. Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481071

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening. UV Light. Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481051

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable &

Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening. UV Light. Service Fixture. Vacu-Pass Portal and Base Stand](#)



Catalog # 303481101

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481111

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481121

☐ Compare

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481131

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481141

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481151

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481171

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[Cabinet with 8" sash opening](#)



Catalog # 303680021

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[Cabinet with 8" sash opening](#)



Catalog # 303680031

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680041

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680051

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U S and Canada

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

Power Cord & Plug: 100V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681001

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681011

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu Pass Portal](#)

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu Pass Portal](#)



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)

Catalog # 303681041



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)

Catalog # 303681051



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681071

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681101

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681111

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681121

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681131

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681141

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681151

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681171

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480070

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480010

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480040

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480030

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V



Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303480000

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480140

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 15A

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480170

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480110

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480130

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480150

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Width: 4'

Protection Type: Product and Personnel

Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480120

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: International
Base Stand: Included
Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481070

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Required (not included)
Power Cord & Plug: India, 230V

Region: International
Base Stand: Included
Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303480100

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481010

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Required (not included)
Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481040

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481030

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481050

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481020

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture and Vacu-Pass Portal](#)



Catalog # 303481000

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481140

Nominal Width: 4'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada
Base Stand: Required (not included)
Power Cord & Plug: North America, 115V, 15A

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481170

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: India, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481130

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: Schuko, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481120

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)

Region: International
Base Stand: Included
Power Cord & Plug: China/Australia, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481110

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: U.S. and Canada
Base Stand: Included
Power Cord & Plug: North America, 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481150

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)
Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal
Region: International
Base Stand: Included
Power Cord & Plug: British (UK), 230V

[4' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixture, Vacu-Pass Portal and Base Stand](#)



Catalog # 303481100

Nominal Width: 4'
Protection Type: Product and Personnel
Nominal Sash Opening: 8" (20 cm)

etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680010

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680030

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680020

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety](#)

etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 15A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680040

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680050

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening](#)



Catalog # 303680000

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety](#)



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680130

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: Schuko, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680120

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A



Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680150

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: British (UK), 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680100

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680110

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening with Base Stand](#)



Catalog # 303680170

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681010

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681040

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681030

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681050

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681020

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681000

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Required (not included)

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures and Vacu-Pass Portal](#)



Catalog # 303681070

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Required (not included)

Power Cord & Plug: India, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681140

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: China/Australia, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681130

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681150

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681120

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: 100V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681100

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 115V, 20A

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681110

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: U.S. and Canada

Base Stand: Included

Power Cord & Plug: North America, 230V

[6' Purifier Logic+ Class II B2 Biological Safety Cabinet with 8" sash opening, UV Light, Service Fixtures, Vacu-Pass Portal and Base Stand](#)



Catalog # 303681170

Nominal Width: 6'

Protection Type: Product and Personnel

Nominal Sash Opening: 8" (20 cm)

Built In Options: UV Light, Valves (Air, Vacuum, etc.), Cord, Cable & Tubing Portal

Region: International

Base Stand: Included

Power Cord & Plug: India, 230V

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru