



# XPert Filtered Balance Systems

XPert Filtered Balance Systems provide user protection by keeping powders and particulate contained during weighing procedures. The built-in blower and exhaust HEPA filter mounted in the upper plenum take up less space than a separate exhauster would require, and isolation supports minimize blow vibration.

Since HEPA filtered air is returned to the laboratory, these vented balance enclosures offer the added benefit of low installation costs and require no ducting to the outside. Interior dimensions accommodate large micro and analytical balances. Containment-enhancing features ensure that potent powders frequently found in pharmaceutical, dry chemical, mold and asbestos weighing operations are kept away from the operator.

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || [bon@nt-rt.ru](mailto:bon@nt-rt.ru)

## Features

- Deep 23" or 30" interior to accommodate large micro and analytical balances
- Ergonomic air foil with aerodynamic Clean-Sweep airflow openings
  - Upper dilution air supply
  - Upper containment sash foil
  - Zone-perforated rear baffle
  - Side-entry air foils
- Exhaust HEPA filter, 99.99% efficient on particles 0.3 micron in size
- True bag-in/bag-out filter disposal system
- Built-in blower with dynamically-balanced, vibration-isolated motorized impeller
- Intrinsically-safe, negative pressure design
- Minihelic pressure gauge
- Space-saving design. No separate filtered exhaust is required.
- Upper diffuser screen
- Quiet operation from 48-66 db(A) depending on airflow
- Glacier white and gray, dry powder epoxy-coated aluminum frame and steel rear plenum and baffle. No unreliable plastic-to-plastic bonding is used.
- Pre-wired fluorescent lamp and switches for blower and light
- Speed control
- 1/4" thick tempered safety glass front sash and sides
- 9.4" or 12.0" high sash opening
- Ergonomic 10 degree angled and hinged sash that pivots upward, locks for loading and has a wiping seal to contain contaminants
- Two utility ports

- Particulate containment independently verified by SafeBridge Consultants, Inc.

## Options

- 2', 3', 4', 5' and 6' widths
- International electrical configuration.
- Built-in Guardian 1000 Digital Airflow Monitor or Guardian Airflow Monitor

## Required Accessories

- Work surface
- Supporting base
- Carbon Filters for Some Models (see brochure)

## Optional Accessories

- Trace Odor Carbon Filters
- Utility Shelves
- Canopy Connections for outside ducting
- Remote Blowers for outside ducting
- Ductwork for outside ducting

### 2' XPert Filtered Balance System



**Catalog # 3950200**

**Region:** U.S. and Canada

**Width:** 2'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

### 2' XPert Filtered Balance System



**Catalog # 3950220**

**Region:** International

**Width:** 2'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

[2' XPert Filtered Balance System  
with Guardian 1000 Digital Airflow  
Monitor](#)



**Catalog # 3950202**

**Region:** U.S. and Canada

**Width:** 2'

**Airflow Monitor:** Guardian 1000  
Digital

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[2' XPert Filtered Balance System  
with Guardian Airflow Monitor](#)



**Catalog # 3950201**

**Region:** U.S. and Canada

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System](#)



**Catalog # 3950300**

**Region:** U.S. and Canada

**Width:** 3'

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA

[2' XPert Filtered Balance System  
with Guardian 1000 Digital Airflow  
Monitor](#)



**Catalog # 3950222**

**Region:** International

**Width:** 2'

**Airflow Monitor:** Guardian 1000  
Digital

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[2' XPert Filtered Balance System  
with Guardian Airflow Monitor](#)



**Catalog # 3950221**

**Region:** International

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System](#)



**Catalog # 3950320**

**Region:** International

**Width:** 3'

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA

cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System  
with Guardian 1000 Digital Airflow  
Monitor](#)



**Catalog #** 3950302

**Region:** U.S. and Canada

**Width:** 3'

**Airflow Monitor:** Guardian 1000  
Digital

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System  
with Guardian Airflow Monitor](#)



**Catalog #** 3950301

**Region:** U.S. and Canada

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System](#)



**Catalog #** 3950400

**Region** U S and Canada

cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System  
with Guardian 1000 Digital Airflow  
Monitor](#)



**Catalog #** 3950322

**Region:** International

**Width:** 3'

**Airflow Monitor:** Guardian 1000  
Digital

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' XPert Filtered Balance System  
with Guardian Airflow Monitor](#)



**Catalog #** 3950321

**Region:** International

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System](#)



**Catalog #** 3950420

**Region** International

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog #** 3950402

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog #** 3950401

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System](#)  
T II

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog #** 3950422

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog #** 3950421

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System](#)  
T II



**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Not included

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System,  
Tall and Deep](#)



**Catalog #** 3950430

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Not included

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System,  
Tall and Deep with Guardian 1000  
Digital Airflow Monitor](#)



**Catalog #** 3950432

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter



**Region:** International

**Width:** 4'

**Airflow Monitor:** Not included

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System,  
Tall and Deep](#)



**Catalog #** 3950440

**Region:** International

**Width:** 4'

**Airflow Monitor:** Not included

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System,  
Tall and Deep with Guardian 1000  
Digital Airflow Monitor](#)



**Catalog #** 3950442

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter



[4' XPert Filtered Balance System, Tall and Deep with Guardian Airflow Monitor](#)



**Catalog # 3950431**

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System, Tall and Deep with Guardian Airflow Monitor](#)



**Catalog # 3950441**

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System, Tall with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950462**

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System, Tall with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950472**

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System, Tall with Guardian Airflow Monitor](#)



**Catalog # 3950461**

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' XPert Filtered Balance System, Tall with Guardian Airflow Monitor](#)



**Catalog # 3950471**

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes





**Catalog # 3950500**

**Region:** U.S. and Canada

**Width:** 5'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950502**

**Region:** U.S. and Canada

**Width:** 5'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog # 3950501**

**Region:** U.S. and Canada

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep](#)



**Catalog # 3950530**

**Region:** U S and Canada



**Catalog # 3950520**

**Region:** International

**Width:** 5'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950522**

**Region:** International

**Width:** 5'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog # 3950521**

**Region:** International

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep](#)



**Catalog # 3950540**

**Region:** International

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep with Guardian 1000 Digital Airflow Monitor](#)



**Catalog #** 3950532

**Region:** U.S. and Canada  
**Width:** 5'  
**Airflow Monitor:** Guardian 1000 Digital  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

**Blower Requirements:** Contains built-in blower a exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep with Guardian 1000 Digital Airflow Monitor](#)



**Catalog #** 3950542

**Region:** International  
**Width:** 5'  
**Airflow Monitor:** Guardian 1000 Digital  
**Blower Requirements:** Contains built-in blower a exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep with Guardian Airflow Monitor](#)



**Catalog #** 3950531

**Region:** U.S. and Canada  
**Width:** 5'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[5' XPert Filtered Balance System, Deep with Guardian Airflow Monitor](#)



**Catalog #** 3950541

**Region:** International  
**Width:** 5'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower a exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System](#)



**Catalog #** 3950600  
[Compare](#)

**Region:** U.S. and Canada  
**Width:** 6'  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure

[6' XPert Filtered Balance System](#)



**Catalog #** 3950620

**Region:** International  
**Width:** 6'  
**Blower Requirements:** Contains built-in blower a exhaust HEPA filter  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure

[6' XPert Filtered Balance System, Deep](#)



**Catalog # 3950630**

**Region:** U.S. and Canada

**Width:** 6'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System, Deep](#)



**Catalog # 3950640**

**Region:** International

**Width:** 6'

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System, Deep with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950632**

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System, Deep with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950642**

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System, Deep with Guardian Airflow Monitor](#)



**Catalog # 3950631**

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System, Deep with Guardian Airflow Monitor](#)



**Catalog # 3950641**

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950602**

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System with Guardian 1000 Digital Airflow Monitor](#)



**Catalog # 3950622**

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian 1000 Digital

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog # 3950601**

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' XPert Filtered Balance System with Guardian Airflow Monitor](#)



**Catalog # 3950621**

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || [bon@nt-rt.ru](mailto:bon@nt-rt.ru)