



# RXPert Single Filtered Balance Systems

RXPert Single Filtered Balance Systems are Class I biological safety cabinets designed for drug compounding and manipulation of pharmaceutical ingredients. They meet the USP <800> requirements for non-sterile compounding when ducted, and include a factory-installed canopy and damper for thimble ducting to the outside. Their true bag-in/bag-out HEPA filter disposal system provide safe filter replacement.

In addition to the built-in blower (included), all models also require a remote blower (not included), ductwork and supporting base.

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || [bon@nt-rt.ru](mailto:bon@nt-rt.ru)

[2' RXPert Filtered Balance  
System with Solid Epoxy Work  
Surface](#)



**Catalog # 3971202**

**Work Surface Included:** Epoxy  
Resin Work Surface

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters  
required

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert Filtered Balance  
System with Solid Epoxy Work  
Surface](#)



**Catalog # 3971402**

**Work Surface Included:** Epoxy  
Resin Work Surface

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters  
required

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' RXPert Filtered Balance](#)

[3' RXPert Filtered Balance  
System with Solid Epoxy Work  
Surface](#)



**Catalog # 3971302**

**Work Surface Included:** Epoxy  
Resin Work Surface

**Region:** U.S. and Canada

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters  
required

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[2' RXPert Filtered Balance  
System with Stainless Steel Work  
Surface](#)



**Catalog # 3971201**

**Work Surface Included:** Stainless  
Steel Work Surface

**Region:** U.S. and Canada

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains  
built-in blower and exhaust HEPA  
filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters  
required

**Sash Opening Height:** 9.4" (23.9  
cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert Filtered Balance](#)



**Catalog # 3971301**

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[2' RXPert Filtered Balance System](#)



**Catalog # 3971200**

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert Filtered Balance System](#)



**Catalog # 3971400**

**Work Surface Included:** None

**Region:** U S and Canada



**Catalog # 3971401**

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[3' RXPert Filtered Balance System](#)



**Catalog # 3971300**

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System with Epoxy Work Surface](#)



**Catalog # 3971477**

**Work Surface Included:** Epoxy Resin Work Surface

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System with Stainless Steel Work Surface](#)



**Catalog #** 3971476

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall & Deep](#)



**Catalog #** 3971495

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall](#)



**Catalog #** 3971475

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall & Deep with Epoxy Work Surface](#)



**Catalog #** 3971497

**Work Surface Included:** Epoxy Resin Work Surface

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall & Deep with Stainless Steel Work Surface](#)



**Catalog #** 3971496

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' RXPert System with Stainless Steel Work Surface](#)



**Catalog #** 3971576

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' RXPert System with Epoxy Work Surface](#)



**Catalog #** 3971577

**Work Surface Included:** Epoxy Resin Work Surface

**Region:** U.S. and Canada

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' RXPert System, Tall](#)



**Catalog #** 3971575

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

### [6' RXPert System, Tall & Deep](#)



**Catalog # 3971695**

**Work Surface Included:** None

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

### [6' RXPert System, Tall & Deep with Epoxy Work Surface](#)



**Catalog # 3971697**

**Work Surface Included:** Epoxy Resin Work Surface

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

### [6' RXPert System, Tall & Deep with Stainless Steel Work Surface](#)



**Catalog # 3971696**

**Work Surface Included:** Stainless Steel Work Surface

**Region:** U.S. and Canada

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

### [2' RXPert Filtered Balance System](#)



**Catalog # 3971220**

**Work Surface Included:** None

**Region:** International

**Width:** 2'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

### [3' RXPert Filtered Balance System](#)



**Catalog # 3971320**

**Work Surface Included:** None

**Region:** International

**Width:** 3'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and

### [4' RXPert Filtered Balance System](#)



**Catalog # 3971420**

**Work Surface Included:** None

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and



Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall](#)



**Catalog #** 3971478

**Work Surface Included:** None

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

Portable Exhauster(s) and filters required

**Sash Opening Height:** 9.4" (23.9 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[4' RXPert System, Tall & Deep](#)



**Catalog #** 3971498

**Work Surface Included:** None

**Region:** International

**Width:** 4'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' RXPert System, Tall & Deep](#)



**Catalog #** 3971598

**Work Surface Included:** None

**Region:** International

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[5' RXPert System, Tall](#)



**Catalog #** 3971578

**Work Surface Included:** None

**Region:** International

**Width:** 5'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate  
Portable Exhauster(s) and filters required

**Sash Opening Height:** 12.0" (30.5 cm)

**Type:** Balance Enclosure

**With Built-In HEPA Filtration:** Yes

[6' RXPert System, Tall](#)



**Catalog #** 3971678

**Work Surface Included:** None

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and

[6' RXPert System, Tall & Deep](#)



**Catalog #** 3971698

**Work Surface Included:** None

**Region:** International

**Width:** 6'

**Airflow Monitor:** Guardian

**Blower Requirements:** Contains built-in blower and



**Catalog # 3971595**

**Work Surface Included:** None  
**Region:** U.S. and Canada  
**Width:** 5'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[5' RXPert System, Tall & Deep with Stainless Steel Work Surface](#)



**Catalog # 3971596**

**Work Surface Included:** Stainless Steel Work Surface  
**Region:** U.S. and Canada  
**Width:** 5'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[6' RXPert System with Stainless Steel Work Surface](#)



**Catalog # 3971676**

[with Epoxy Work Surface](#)



**Catalog # 3971597**

**Work Surface Included:** Epoxy Resin Work Surface  
**Region:** U.S. and Canada  
**Width:** 5'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[6' RXPert System with Epoxy Work Surface](#)



**Catalog # 3971677**

**Work Surface Included:** Epoxy Resin Work Surface  
**Region:** U.S. and Canada  
**Width:** 6'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

[6' RXPert System, Tall](#)



**Catalog # 3971675**

**Work Surface Included:** None



**Region:** U.S. and Canada  
**Width:** 6'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

**Width:** 6'  
**Airflow Monitor:** Guardian  
**Blower Requirements:** Contains built-in blower and exhaust HEPA filter, Remote blower or FilterMate Portable Exhauster(s) and filters required  
**Sash Opening Height:** 12.0" (30.5 cm)  
**Type:** Balance Enclosure  
**With Built-In HEPA Filtration:** Yes

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || [bon@nt-rt.ru](mailto:bon@nt-rt.ru)