

XPert Filtered Balance Stations



XPert Filtered Balance Stations are vented balance enclosures designed to protect the user during powder weighing operations. The built-in HEPA filter removes particulates so the clean air is exhausted to the outside atmosphere. As its name implies, the XPert Filtered Balance Station is "stationary" because ducting to an exhaust system with a remote blower is required (ductwork and blower sold separately).

These stations are often ideal for powder weighing applications found in pharmaceutical research and other industries. Interior dimensions accommodate large micro and analytical balances and containment-enhancing features ensure personnel safety.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

Additional Features & Specifications

Features

- Deep 23" or 30" interior to accommodate large micro and analytical balances
- Ergonomic air foil with aerodynamic Clean-Sweep airflow openings
- Upper dilution air supply
- Upper containment sash foil
- Zone-perforated rear baffle
- Side-entry air foils
- Exhaust HEPA filter, 99.99% efficient on particles 0.3 micron in size
- True bag-in/bag-out filter disposal system
- Minihelic pressure gauge
- Glacier white and gray, dry powder epoxy-coated aluminum frame and steel rear plenum and baffle. No unreliable plastic-to-plastic bonding is used.
- Pre-wired fluorescent lamp and switches for blower and light. Blower switch is connected to an electrical replay and junction box behind the front panel.
- 1/4" thick tempered safety glass front sash and sides
- 9.4" or 12.0" high sash opening
- Ergonomic 10 degree angled and hinged sash that pivots upward, locks for loading and has a wiping seal to contain contaminants
- Two utility ports
- Particulate containment independently verified by SafeBridge Consultants, Inc.
- Validation package

Options

- 2', 3', 4', 5' and 6' widths
- International electrical configuration

- Built-in Guardian 1000 Digital Airflow Monitor or Guardian Airflow Monitor

Required Accessories

- Work surface
- Supporting base
- Remote blower
- Ductwork
- Carbon Filters for Some Models (see brochure)

Optional Accessories

- Utility Shelves
- Exhaust Dampers

[2' XPert Filtered Balance Station](#)



Catalog # 3940200

Region: U.S. and Canada

Width: 2'

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[2' XPert Filtered Balance Station](#)



Catalog # 3940220

Region: International

Width: 2'

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[2' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940202

[2' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940222

Airflow Monitor: Guardian 1000

Digital

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[2' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3940201

Region: U.S. and Canada

Width: 2'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station](#)



Catalog # 3940300

Region: U.S. and Canada

Width: 3'

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940302

Airflow Monitor: Guardian 1000

Digital

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[2' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3940221

Region: International

Width: 2'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station](#)



Catalog # 3940320

Region: International

Width: 3'

Blower Requirements: Remote blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940322

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian 1000

Digital

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3940301

☐ Compare

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station](#)



Catalog # 3940400

☐ Compare

Region: U.S. and Canada

Width: 4'

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station with Guardian 1000 Digital Airflow](#)

Region: International

Width: 3'

Airflow Monitor: Guardian 1000

Digital

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[3' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3940321

☐ Compare

Region: International

Width: 3'

Airflow Monitor: Guardian

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station](#)



Catalog # 3940420

☐ Compare

Region: International

Width: 4'

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station with Guardian 1000 Digital Airflow](#)



Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000
Digital

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station
with Guardian Airflow Monitor](#)



Catalog # 3940401

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station.
Tall](#)



Catalog # 3940460

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Not included

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5
cm)

Type: Balance Enclosure



Region: International

Width: 4'

Airflow Monitor: Guardian 1000
Digital

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station
with Guardian Airflow Monitor](#)



Catalog # 3940421

Region: International

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station.
Tall](#)



Catalog # 3940470

Region: International

Width: 4'

Airflow Monitor: Not included

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5
cm)

Type: Balance Enclosure

[4' XPert Filtered Balance Station,
Tall and Deep](#)



Catalog # 3940430

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Not included

Blower Requirements: Remote
blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station,
Tall and Deep with Guardian 1000
Digital Airflow Monitor](#)



Catalog # 3940432

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000
Digital

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station,
Tall and Deep](#)



Catalog # 3940440

Region: International

Width: 4'

Airflow Monitor: Not included

Blower Requirements: Remote
blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station,
Tall and Deep with Guardian 1000
Digital Airflow Monitor](#)



Catalog # 3940442

Region: International

Width: 4'

Airflow Monitor: Guardian 1000
Digital

Blower Requirements: Remote
blower or FilterMate Portable
Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9
cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall and Deep with Guardian Airflow Monitor](#)



Catalog # 3940431

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall and Dee with Guardian Airflow Monitor](#)



Catalog # 3940441

Region: International

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterM Portable Exhauster(s) and filters required

Sash Opening Height: 9.4" (23.9 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940462

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3940472

Region: International

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterM Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall with Guardian Airflow Monitor](#)



Catalog # 3940461

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[4' XPert Filtered Balance Station, Tall with Guardian Airflow Monitor](#)



Catalog # 3940471

Region: International

Width: 4'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterM Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes



Catalog # 3946500

Region: U.S. and Canada

Width: 5'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946502

Region: U.S. and Canada

Width: 5'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3946501

Region: U.S. and Canada

Width: 5'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep](#)



Catalog # 3946530

Region: U S and Canada



Catalog # 3946520

Region: International

Width: 5'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946522

Region: International

Width: 5'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station with Guardian Airflow Monitor](#)



Catalog # 3946521

Region: International

Width: 5'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep](#)



Catalog # 3946540

Region: International

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946532

Region: U.S. and Canada
Width: 5'
Airflow Monitor: Guardian 1000 Digital
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946542

Region: International
Width: 5'
Airflow Monitor: Guardian 1000 Digital
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep with Guardian Airflow Monitor](#)



Catalog # 3946531

Region: U.S. and Canada
Width: 5'
Airflow Monitor: Guardian
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

[5' XPert Filtered Balance Station, Deep with Guardian Airflow Monitor](#)



Catalog # 3946541

Region: International
Width: 5'
Airflow Monitor: Guardian
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station](#)



Catalog # 3946600

Region: U.S. and Canada
Width: 6'
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure

[6' XPert Filtered Balance Station](#)



Catalog # 3946620

Region: International
Width: 6'
Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure

[6' XPert Filtered Balance Station, Deep](#)



Catalog # 3946630

Region: U.S. and Canada

Width: 6'

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station, Deep](#)



Catalog # 3946640

Region: International

Width: 6'

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station, Deep with
Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946632

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station, Deep with
Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3946642

Region: International

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station, Deep with
Guardian Airflow Monitor](#)



Catalog # 3946631

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station, Deep with
Guardian Airflow Monitor](#)



Catalog # 3946641

Region: International

Width: 6'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station with Guardian
1000 Digital Airflow Monitor](#)



Catalog # 3946602

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station with Guardian
1000 Digital Airflow Monitor](#)



Catalog # 3946622

Region: International

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station with Guardian
Airflow Monitor](#)



Catalog # 3946601

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

[6' XPert Filtered Balance Station with Guardian
Airflow Monitor](#)



Catalog # 3946621

Region: International

Width: 6'

Airflow Monitor: Guardian

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: Yes

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru