


XPert Balance Enclosures



XPert Balance Enclosures provide user protection by keeping powders, particulates and fume contained during weighing procedures. They are well suited for pharmaceutical research and other laboratory applications involving weighing of toxic substances. These vented balance safety enclosures may be ducted to the outside or connected to the FilterMate Portable Exhaust to be exhausted back into the laboratory through HEPA filters, carbon filters, or a combination of both HEPA and carbon filters.

Their ample, 23" interior depth (30" depth for "Deep" models) easily accommodates large micro and analytical balances, and a true bag-in/bag-out filter disposal system allows safe filter replacement.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru

[2' XPert Balance Enclosure](#)

Catalog # 3930200



Width: 2'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)

Catalog # 3930202



Region: U.S. and Canada

Width: 2'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)

Catalog # 3930222



Region: International

Width: 2'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)

Catalog # 3930201



Region: U.S. and Canada

Width: 2'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3930221

Region: International

Width: 2'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930232

Region: U.S. and Canada

Width: 2'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930231

Region: U.S. and Canada


Width: 2'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote

blower or FilterMate Portable

[2' XPert Balance Enclosure, Tall](#)



Catalog # 3930230

Width: 2'

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930242

Region: International

Width: 2'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote

blower or FilterMate Portable

Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[2' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930241

Region: International

Width: 2'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote

blower or FilterMate Portable

cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure](#)



Catalog # 3930300

Width: 3'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930322

Region: International

Width: 3'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3930321

cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930302

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3930301

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure, Tall](#)



Catalog # 3930330

Region: International

Width: 3'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930332

☐ Compare

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930331

☐ Compare

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930342

☐ Compare

Region: International

Width: 3'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[3' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930341

☐ Compare

Region: U.S. and Canada

Width: 3'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No



Catalog # 3930400

Width: 4'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930402

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[Monitor](#)



Catalog # 3930401

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930422

Region: International

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3930421

Region: International

Width: 4'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure, Tall](#)



Catalog # 3930430

Width: 4'

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930432

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3930442

Region: International

Width: 4'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930431

Region: U.S. and Canada

Width: 4'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[4' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3930441

Region: International

Width: 4'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 10.0" (24.4 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No



Catalog # 3971500

Width: 5'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[Digital Airflow Monitor](#)



Catalog # 3971501

Region: U.S. and Canada

Width: 5'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971522

Region: International

Width: 5'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971502

Region: U.S. and Canada

Width: 5'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971521

Region: International

Width: 5'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall](#)



Catalog # 3971530

Width: 5'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall and Deep](#)



Catalog # 3971560

[5' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971562

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971572

Region: International
Width: 5'
Airflow Monitor: Guardian 1000 Digital
Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)



Catalog # 3971571

Region: International
Width: 5'
Airflow Monitor: Guardian Jr.
Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971542

Region: International
Width: 5'

Region: U.S. and Canada
Width: 5'
Airflow Monitor: Guardian 1000 Digital
Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)



Catalog # 3971561

Region: U.S. and Canada
Width: 5'
Airflow Monitor: Guardian Jr.
Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971532

Region: U.S. and Canada
Width: 5'
Airflow Monitor: Guardian 1000 Digital
Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required
Sash Opening Height: 12.0" (30.5 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall with Guardian Airflow Monitor](#)



Catalog # 3971531

Region: U.S. and Canada
Width: 5'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[5' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)



Catalog # 3971541

Region: International

Width: 5'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971602

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure](#)

Catalog # 3971600



Width: 6'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure with Guardian 100 Digital Airflow Monitor](#)



Catalog # 3971622

Region: International

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971601

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971621

Region: International

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall](#)



Catalog # 3971630

Region: U.S. and Canada

Width: 6'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall and Deep](#)



Catalog # 3971660

Width: 6'

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971662

Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971672

Region: International

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)

[6' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)



Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)

Catalog # 3971632



Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall with Guardian Jr. Airflow Monitor](#)

Catalog # 3971631



Region: U.S. and Canada

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure](#)

Catalog # 3971800



Region: International

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)

Catalog # 3971642



Region: International

Width: 6'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[6' XPert Balance Enclosure, Tall with Guardian Airflow Monitor](#)

Catalog # 3971641



Region: International

Width: 6'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure with Guardian 100 Digital Airflow Monitor](#)

Catalog # 3971802



Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required
Sash Opening Height: 8.0" (20.3 cm)
Type: Balance Enclosure
With Built-In HEPA Filtration: No

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971822

Region: International

Width: 8'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971801

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 8.0" (20.3 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure with Guardian Jr. Airflow Monitor](#)



Catalog # 3971821

Region: International

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall](#)



Catalog # 3971830

Width: 8'

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall and Deep](#)



Catalog # 3971860

Width: 8'

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12 0" (30 5 cm)

[8' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971862

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian 1000 Digital

With Built-In HEPA Filtration: No

Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall and Deep with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971872

Region: International

Width: 8'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)



Catalog # 3971861

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall and Deep with Guardian Jr. Airflow Monitor](#)



Catalog # 3971871

Region: International

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

[8' XPert Balance Enclosure, Tall with Guardian 1000 Digital Airflow Monitor](#)



Catalog # 3971832

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

8' XPert Balance Enclosure, Tall with Guardian
1000 Digital Airflow Monitor



Catalog # 3971842

Region: International

Width: 8'

Airflow Monitor: Guardian 1000 Digital

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

8' XPert Balance Enclosure, Tall with Guardian
Airflow Monitor



Catalog # 3971831

Region: U.S. and Canada

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

8' XPert Balance Enclosure, Tall with Guardian Jr.
Airflow Monitor



Catalog # 3971841

Region: International

Width: 8'

Airflow Monitor: Guardian Jr.

Blower Requirements: Remote blower or FilterMate
Portable Exhauster(s) and filters required

Sash Opening Height: 12.0" (30.5 cm)

Type: Balance Enclosure

With Built-In HEPA Filtration: No

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://labconco.nt-rt.ru/> || bon@nt-rt.ru